



Every Decospan panel we produce is unique. We handle the available oak veneer creatively and with the utmost respect. Our unique production processes capture and enhance the beauty, colour, markings and structure of solid wood, and combine these with the many advantages of a veneered panel. The gleam of amazement in the eyes of our customers when they enter their living room, kitchen or office, gives us the ultimate sense of satisfaction.

Intelligent. With Querkus, we have succeeded in capturing the capriciousness of nature in an accessible and easy to process product. No need to worry about product specifications; you can just focus entirely on the look and feel that will make your project unique.

Authentic. Querkus stands for an honest and authentic product. That's why, as well as processing new oak, we also give old oak beams a second lease of life. Veneer from old oak has a more seasoned and robust look. Recycling and upcycling at their best.

Sustainable. With Querkus we are working to reduce our environmental impact. We do this by making a product with a long service life, only working with oak from sustainably managed forests and by using environmentally-friendly production processes. This is all safeguarded in our Pure Wood Charter.

European. Oak is highly regarded in the furniture industry and in interior design. Because of its durability and excellent workability, oak has been used for many centuries in these parts. Our buyers are always searching for the best logs of European origin.

Natural

0,6 mm 1 mm

1,5 mm 2 mm



Oak Natural Adagio



Oak Natural Allegro



Oak Natural Vivace

VINTAGE retro

0,6 mm



OAK VINTAGE retro HOBOKEN



OAK VINTAGE retro HARLEM



OAK VINTAGE retro BALTIMORE

VINTAGE original

1 mm 1,5 mm



OAK VINTAGE original HOBOKEN



OAK VINTAGE original HARLEM



OAK VINTAGE original BALTIMORE

NEW

VINTAGE intense

3,5 mm

 Embossed surface technology
in cooperation with J Grabner GmbH



OAK VINTAGE intense HOBOKEN



OAK VINTAGE intense HARLEM



OAK VINTAGE intense BALTIMORE

Smoked

0,6 mm 1,5 mm



Oak Smoked Havana



Oak Smoked Arabica



Oak Smoked Robusta


Querkus is a collection of decorative oak veneered panels. You choose the look, veneer thickness and surface finish to create the perfect board that suits your style completely. From now on you no longer have to worry about technical specifications because our simple step-by-step plan enables you to compose a product that will make your project shine.



Step 1: Choose the LOOK

First you determine the appearance of your Querkus veneer product. Think carefully about the atmosphere you want to achieve as the end result. Depending on the chosen look, different veneer thicknesses are available, which you choose depending on the budget or the desired finishing.

For an extra solid look, veneer strips from different trees are combined using our unique mixmatch jointing method. This gives the boards a planked look but still fits together.



Step 2: Choose the THICKNESS

Each look may or may not be available in a number of thicknesses. Choose your thickness according to your budget or desired 'touch' (see step 3).

0,6 mm 1 mm 1,5 mm 2 mm 3,5 mm



Step 3: Choose the TOUCH

Natural oak veneer distinguishes itself from other types of wood and plastic alternatives by its special wood design and grain structure. This can be further accentuated by applying surface treatments. The experience and feel are thus emphasized even more. You immediately feel the authenticity of the product.

Plain

These panels are pre-sanded as standard with 120 grit. The surface is smooth (Plain) and can be further sanded and finished by you.




Plain

Brushed

A brushed surface does justice to the natural wood structure. **Brushed type B1:** the soft summer wood is given a subtle and light brush treatment. **Brushed type B2 and type B3:** the structure can be seen more in depth, with the effect being comparable to sand-blasting.



Brushed type B1



Brushed type B2

Scratched

We use a patented procedure for an authentic-looking band sawn structure, giving the veneer panel the look of a solid wood plank, worked by craftsmen.



Scratched type S1



Scratched type S2




Scratched type S3



Scratched

Distressed

Random hammer impacts create an unpredictable pattern, giving the veneer an seasoned look.



Brushed type B3



Distressed type D1

Combination options
LOOK, THICKNESS and TOUCH

See overview table page 44-45

Embossed

A pronounced relief structure is applied to the panels under high pressure. This gives the surface a weathered look & feel.



type S4



Scratched type S5




Embossed type E1

Embossed surface technology
in cooperation with J Grabner GmbH





LOOK



THICKNESS



TOUCH



PANEL

Standard: MDF 18mm
3050x1220mm and 2500x1240mm

Combinations options of
LOOK, THICKNESS and TOUCH

Compose your product here

		Plain		Brushed			
		Pre-sanded grain 120	Type B1	Type B2	Type B3	Type S1	Type S2
Oak Natural	0,6 mm	✓	✓			✓	
	1 mm	✓	✓	✓		✓	✓
	1,5 mm	✓	✓	✓	✓	✓	✓
	2 mm	✓	✓	✓	✓	✓	✓
OAK VINTAGE retro	0,6 mm	✓	✓			✓	
	1 mm	✓	✓	✓		✓	✓
	1,5 mm	✓	✓	✓	✓	✓	✓
OAK VINTAGE original	0,6 mm	✓	✓			✓	
	1 mm	✓	✓	✓		✓	✓
	1,5 mm	✓	✓	✓	✓	✓	✓
NEW OAK VINTAGE intense	3,5 mm						
	0,6 mm	✓	✓			✓	
Oak Smoked	0,6 mm	✓	✓			✓	
	1,5 mm	✓	✓	✓	✓	✓	✓

The stated thickness refers to the veneer layer without any after-treatment. The final thickness may vary slightly depending on the selected surface treatment.

✓ possibly applied both single or double-sided
✓ for panel stability, B2 and B3 must always be applied double-sided



FLEX

SHEET

3050x1220mm

2750x1220mm

3050x1220mm

Scratched			Distressed	Embossed
Type S3	Type S4	Type S5	Type D1	Type E1
✓	✓	✓	✓	
✓	✓	✓	✓	
✓	✓	✓	✓	
✓	✓	✓	✓	
✓	✓	✓	✓	
				✓
✓	✓	✓	✓	

Plain	Brushed	Scratched	Plain	Embossed
Pre-sanded grain 120	Type B1	Type S1	Pre-sanded grain 120	Type E1
✓	✓	✓		
✓	✓	✓		
			✓	
				✓
✓	✓			