



Noyeks
est. 1893 NEWMANS

Architectural Timber

Yakisugi

Yakisugi (Shou Sugi Ban) is a traditional Japanese method to preserve wood and has been used for hundreds of years in Japan. Inspired by these age-old Japanese traditions we char every board in our own oven. It requires a high degree of craftsmanship for this delicate process and needs considerable experience to master. Our Yakisugi is Irish made and is available in various styles and colours.

Some benefits of Yakisugi Cladding is outline below.



Enhanced Durability



Excellent Stability



Long Service Life
80 years +



Environmentally
Friendly


A photograph of a modern building with dark, vertically-grained wood siding. A window is visible on the left side. The foreground is filled with a variety of colorful flowers, including red, blue, and yellow blooms. The background shows green trees under a bright sky.

Hikari Yakisugi

Hikari is brushed and coated in our special Dark Night finish that produces a dramatic effect for any project.



Dark Night

A photograph of a modern building featuring dark charred wood cladding. The building has a gabled roof with a dark blue trim along the eaves. A large, multi-paned window is visible on the left side. To the right, there is a white wall section with a small, dark rectangular opening. The foreground shows a concrete walkway and some landscaping with mulch and plants.

Fukai Yakisugi

Fukai is produced using the very same method as Yakedo and Hikari, however we now brush the burnt timber cladding twice to deepen the contrast between late and early wood. Choose 6 colours or a clear option for hassle free maintenance.



Lunar Grey



Chestnut



Oak



Rosewood



Berry



Tan

Yakedo Yakisugi

Yakedo is burnt in our in-house charring line and then coated with our specially developed oil to fix the char helping to hold that character for longer.



Douglas Fir



Accoya

Douglas Fir

One of the toughest and most durable softwoods available making it perfect for all types of projects



Classic



Shadow



Rombus



Element

Door Frames

Available in redwood and sapele machined to rebated profile suitable for none fire rated, FD30 and FD60.

Grooves to suit 15x4mm fire strip


Available primed.



None fire rated



FD30



FD60



Red Cedar

Available in TG2V 1*4 / 1*6
PAO 1*2 / 1*3 / 1*4 / 1*6 / 1*8

Corners 40*40 L-shaped



Iroko

Available in 1x4 and 1x6 TG2V

PAO Options in 1*2 / 1*3 & 1*4
for fencing, trims etc

of the U
the holes facing
imately 4820 mm.

lts and nuts.

y flat.

profile, but only the fixing screws.

d with numbers (No

Noyeks

est. 1893

NEWMANS

