

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 8/05/2015 Revision date: 21/05/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Trade name	:	Rubio Monocoat Tannin Remover
UFI	:	CT60-402S-G00T-3RKJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category

: Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat Ambachtenstraat 58 8870 Izegem - Belgium T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78 info@rubiomonocoat.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

H319

Serious eye damage/eye irritation, Category 2 Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

CLP Signal word

	- Colored Barrier 1997
GH	IS07
G	1001

: Warning

- : H319 Causes serious eye irritation.
 - : P102 Keep out of reach of children.

P264 - Wash hands, forearms and face thoroughly after handling.

- P280 Wear protective gloves, eye protection, face protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxalic acid dihydrate substance with a Community workplace exposure limit	CAS-No.: 6153-56-6 EC-No.: 205-634-3 EC Index-No.: 607-006-00-8 REACH-no: 01-2119534576- 33	< 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : If medical advice is needed, have product container or label at hand. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophtalmologist if irritation persists. First-aid measures after ingestion : In all cases of doubt, or when symptoms persist, seek medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : If you feel unwell, seek medical advice. Symptoms/effects after inhalation : None under normal use. Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Risk of serious damage to eyes. Symptoms/effects after ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: hazy water, carbon dioxide (CO2), foam and powder.		
5.2. Special hazards arising from the substance or mixture			
No additional information available			
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	 Evacuate area. Prevent fire fighting water from entering the environment. Self-contained breathing apparatus. Complete protective clothing. Exercise caution when fighting any chemical fire. 		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible.		
6.1.2. For emergency responders			
Protective equipment	: Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment.		
6.2. Environmental precautions			
Collect spillage.			
6.3. Methods and material for containment and cleaning up			
For containment Methods for cleaning up	 Collect spillage. This material and its container must be disposed of in a safe way, and as per local legislation. 		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

No additional information available

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
No additional information available			
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Keep container tightly closed.		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Oxalic acid dihydrate (6153-56-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m³)	1 mg/m ³	
Belgium - Occupational Exposure Limits		
Limit value [mg/m³]	1 mg/m ³	
Short time value [mg/m³]	2 mg/m ³	
France - Occupational Exposure Limits		
VME [mg/m³]	1 mg/m ³	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m³)	1 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxalic acid dihydrate (6153-56-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	1 mg/m³	
WEL STEL (mg/m³)	2 mg/m³	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	1 mg/m³	
ACGIH STEL (mg/m³)	2 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Ensure good ventilation of the work state

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Hand protection: Gloves

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state Appearance Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Density Solubility Log Pow Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties	: Liquid : Liquid : Opaque. : odourless. : No data available : No data available : No data available : $\approx 0 ^{\circ}$ C : $\approx 0 ^{\circ}$ C : $\approx 100 ^{\circ}$ C : No data available : No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: 0 g/l	

SECTION 10: Stability and reactivity

10.1. Reactivity

Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction. Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

bases. Acids. oxidizing agents.

10.6. Hazardous decomposition products

Fire may liberate carbon oxides (CO) and smoke.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)		Not classified Not classified Not classified
Oxalic acid dihydrate (6153-56-6)		
LD50 oral rat		> 375 mg/kg
LD50 dermal rabbit		> 20000 mg/kg
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard	:	Not classified Causes serious eye irritation. Not classified Not classified Not classified Not classified Not classified Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic)	 Ecological problems are not known or expected under normal use. Not classified Not classified 	
Oxalic acid dihydrate (6153-56-6)		
LC50 fish 1	34,1 mg/l (96 h; Pimephales promelas)	
LC50 fish 2	160 mg/l (48 h; Leuciscus idus)	
LC50 other aquatic organisms 1	100 – 1000 mg/l (96 h)	
EC50 Daphnia 1	137 mg/l (48 h; Daphnia magna)	
TLM fish 1	4000 mg/l (24 h; Lepomis macrochirus; Watervrije vorm)	
Threshold limit other aquatic organisms 1	100 - 1000 (96 h)	
Threshold limit algae 1	790 mg/l (168 h; Scenedesmus quadricauda)	
Threshold limit algae 2	80 mg/l (192 h; Microcystis aeruginosa)	
12.2. Persistence and degradability		
Oxalic acid dihydrate (6153-56-6)		
Persistence and degradability	Readily biodegradable in water.	
12.3. Bioaccumulative potential		
Oxalic acid dihydrate (6153-56-6)		
Log Pow	-1,74	

Bioaccumulative potential

Not applicable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil			
Oxalic acid dihydrate (6153-56-6)			
Ecology - soil	Material highly soluble in water.		
12.5. Results of PBT and vPvB assessment			
Rubio Monocoat Tannin Remover			
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII			
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
Component			
Oxalic acid dihydrate (6153-56-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects			

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant loca regulations.	
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 16 10 01* - aqueous liquid wastes containing dangerous substances	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number	
UN-No. UN-No. (IMDG) UN-No. (ICAO) UN-No. (ADN) UN-No. (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	 No No No supplementary information available

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Rubio Monocoat Tannin Remover	
Contains no substance on the	he REACH candidate li	st
Contains no REACH Annex XIV substances		
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export		
and import of hazardous chemicals.		
Contains no substance subj	ect to Regulation (EU)	No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent
organic pollutants		
VOC content		: 0 g/l
15.1.2. National regulation	IS	
Germany		
Water hazard class (WGK)		: WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinar	nce (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Netherlands	
SZW-list of carcinogenic substances	: None of the components are listed
SZW-list of mutagenic substances	: None of the components are listed
NON-exhaustive list of reprotoxic substances -	: None of the components are listed
Breastfeeding	
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Vruchtbaarheid	
NON-exhaustive list of reprotoxic substances -	: None of the components are listed
Development	
Denmark	
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.