MASTER BROCHURE **2021**

Setting new standards in kitchen style and performance

FRANKE

MAKE IT WONDERFUL



More ways we're making it wonderful

Franke continues to innovate in key product areas

As a world leader in the design and manufacture of intelligent products and solutions for residential and professional audiences, we continue to lead the way in developing high-end design innovations.

Franke has built a reputation on producing high quality sinks and state-of-the art instant boiling water taps and we are extremely proud of what we produce. Looking ahead we are delighted to be introducing some impressive new lines into our range.

We are committed to ensuring our customers experience the pleasures that cooking, eating and entertaining in a kitchen fitted with our products can bring. This is the very essence that inspires us to Make it Wonderful.





Make it wonderful with the Franke sink and tap range

It's easy to be ordinary; to have an ordinary home, filled with things you neither love nor hate. But you should never settle for ordinary and that's why we want to make everything we make wonderful. Wonderful turns a house into a home and turns work into play. Every Franke product aims to be wonderful in every way; from the first glimpse of carefully considered design, to manufacturing standards that ensure you can feel the quality and craftsmanship of every piece.

This brochure captures the spirit of wonderful in order to captivate and inspire you. A comprehensive range of sinks, taps and accessories can help turn an everyday kitchen into the extraordinary and turn a daily chore into a guilty pleasure.

Let everyone else be ordinary, while we make it wonderful.

Be inspired

We are constantly thinking of new ways to make our range even better, adding new products, new ideas and new innovations. Keep up to date with it all on our Facebook and Twitter pages.



www.franke.ie

f facebook.com/FrankeHome

- twitter.com/FrankeUK
- youtube.com/UKFranke
- pinterest.com/FrankeUK

Contents

Introduction	6
Sink Range	20
Tap Range	70
Kitchen Solutions	102
Specifications	111

Over one hundred years of passion

Making something wonderful rarely happens overnight, and Franke has been pushing the boundaries for over 100 years. Founded in 1911, Franke was built on a foundation of precision engineering combined with traditional craftsmanship. Over 100 years later, those principles endure, while a focus on the changing needs and lifestyles of our customers has helped us become the world's largest manufacturer of kitchen sinks.

Swiss precision engineering



The Franke story began as a small sheet-metal business in Rorschach, Switzerland, established by Hermann Franke in 1911. Since then, we've established efficient and economic manufacturing facilities all around the world.

Many things have changed in the past century, but what is always the same is a set of values, characterised by respect, trust and openness. The values of innovation, entrepreneurship, quality and stylish design were in the heart of Hermann Franke and continue to be at the heart of the business, as we enter a second century of smart and stunning design.

Guaranteed for half a century of wonder



Once you've realised the kitchen of your dreams, it's only natural you want to retain it for as long as possible. To do that, you need reliable products of outstanding quality and Franke is guaranteed never to let you down. A huge 50 year guarantee on our sinks means that your Franke sink will be with you through those big moments in life and be part of your family for a generation or more.



We're confident, so you can be too

Few other manufacturers can offer such a promise to you and that's because we are dedicated to the highest standards of design and craftsmanship. Our guarantee protects your sink against manufacturing defects for half a century.

Great guarantees on our other products

You also have the peace of mind of a superb guarantee on our taps, which protects against defective materials and workmanship in the valve mechanism for 5 years and covers you for coatings and finishes for 1 year (5 years for stainless steel taps).

Our waste disposal units carry a 10 year guarantee - which is unmatched by any other brand.

Full details of our guarantees can be found on our website, but no matter which Franke product you choose, you can look forward to many years of trouble-free use. It's a product that stays in your family home so long, it's almost part of the family.

Visit www.franke.co.uk/guarantee

Complete your dream with ease

Find a sink to suit your style

To help you navigate the wide range of design, installation and functionality considerations surrounding your choice of sink, you'll have detailed information at your fingertips. Each option is explained fully over the following pages.

Add your perfect tap

Franke taps combine outstanding performance and stunning design to suit your taste – whatever it may be. Our taps are designed to fit a standard 35mm tap hole (except where indicated). It is also important to identify whether your home has a high or low pressure water system, as it will affect your choice of tap – your installer or kitchen retailer should be able to help with this.

Choose accessories and extras

We also have a number of stylish and innovative products that are specifically designed to enhance the aesthetics and functionality of your sink, streamlining kitchen tasks to preserve its look and longevity.

Discover full kitchen solutions


A working kitchen doesn't have to be a cluttered kitchen. Our range of clever storage and waste products helps to maintain a clean and clear space for those with even the busiest of lifestyles.



Innovation is in our DNA

INNOVATION

We continue to be passionate innovators and our aim is to constantly improve the look and usability of our designs. Staying at the forefront of the industry is vitally important to us, so we have continually enhanced manufacturing techniques and made pioneering use of new materials to explore exciting new design possibilities. This means our range is always evolving to include the very highest levels of form and function.





Franke Rollamat

The Franke Rollamat is a handy accessory, which can be used to drain glasses or crockery, but also doubles as a trivet to protect the work surface from hot and heavy cookware straight from the oven, hob or grill. When not in use, this innovative accessory can be rolled up and conveniently stored away.

The Rollamat can be used on any work surface and therefore with any undermount sink, but will specifically fit the drainer on certain inset sinks.



ROLLAMAT	COMPATIBLE SINKS	SIZE (mm)	FUN No.
Mythos	MYX	267x424	112.0591.081
Rollamat 30	BFG	298x410	112.0256.867
Rollamat 36	MRG,MRX	361x330	112.0075.642
Rollamat 40		400x400	112.0050.988
Rollamat 42		468x420	112.0030.882
Rollamat 44		468x440	112.0080.355
Fresno	FSG	220x400	112.0520.938



Push-button pop-up waste

A pop-up waste enables you to conveniently empty the bowl without putting your hands in the sink. The patented push-button system from Franke has been tested to not only give you an extremely robust feature, but it looks great.


Instant Boiling Water Taps

Get instant 100°C water at your fingertips, straight from your kitchen tap, with Franke Instant Boiling Water Taps. Perfect for making drinks or getting meals underway in a flash, they combine safety, stylish design and cutting-edge technology. The innovative electronically controlled Minerva 4-in-1 tap features a child safety function and filter warning light, while the Omni is the world's first mechanical 4-in-1 tap, providing filtered water alongside hot, cold and boiling water.



Hygienic Overflow

Many Franke sinks come with a Hygienic Overflow, which offers versatility for cleaning. Simple removal of the logo plate reveals the overflow aperture for easy, hygienic cleaning.



Slimfix®

The Slimfix® technology has enabled Franke designers to reduce the width, depth and profile of the outer rim, resulting in a sink virtually flush with the worktop and has a bowl and drainer which is deeper and more three-dimensional in appearance.



Box Center

Thanks to the new Box Center, the most important kitchen accessories become part of the sink unit and accessible all the time. These brand new large bowls are now available as inset/flushmount and undermount options and are a perfect combination, blending exceptional functionality with shining, minimalist design.



Andy Chef

Andy Chef is the ingenious solution for a well-organised and stylish kitchen, combining all the essential food preparation accessories you need on a daily basis. This compact, tailor-made holder includes a wooden chopping board, a professional chef knife and a strainer bowl and fits perfectly with our Box BXX range of sinks. Built to last in stainless steel and with a playful design, this sleek holder is the perfect addition to your family home. Thanks to its practical inner design, the accessories can also be safely stored and will dry entirely overnight.

Details that make a difference

At first glance, some features seem to be little more than decoration; others, you may not even notice at all. Sometimes, however, small details can make a huge difference. Whether it's to save you time, make cleaning easier, boost performance or simply provide an efficient solution for life's little challenges, every aspect of a Franke sink is carefully designed to make life easier.



Advanced waste systems

Franke sinks are equipped with stainless steel basket strainer wastes which can be used to prevent foodstuffs from entering the waste system. But the attention to detail does not stop there; underneath the sink, Franke waste kits may include such features as Sanitized[®] anti-bacterial properties and fast flowing air vent systems, whilst always ensuring they are as low-profile as possible, allowing you to benefit from extra cupboard space.



Deeper bowls

Many Franke stainless steel sink bowls are formed using a manufacturing technique known as deep-drawing and annealing. The bowls are formed using a 2-stage process which starts with deep drawing a flat sheet of steel. The annealing process allows the final bowls to be deeper, without compromising the integrity of the steel.



Heat and sound insulation

Selected Franke stainless steel bowls are sound insulated to reduce the sound of water in the bowl. This is achieved by rubber insulation pads under the sink, or by a sprayed dynaphon layer, applied during manufacture. The grey dynaphon spray also insulates, minimising heat escaping from the bowl, keeping water warmer for longer.



Sink accessories

It's the little things that make life extra special, so we've developed a range of extras to do just that. People use their sink in different ways, so these products correspond to common kitchen activities, complement the design of your Franke sink and turn it into the ultimate multi-purpose workstation.



To see the full range of accessories available for each sink visit **franke.ie**

Waste disposal units

Clever design frees the kitchen from unsightly and unhygienic organic household waste, leaving you to enjoy a clean and tidy kitchen. With an ease of use that's hard to beat, it can even take the most mundane of daily chores and turn it into a little guilty pleasure.

Thanks to a permanent magnet motor, Franke Turbo Elite Waste Disposal Units reach high speed in a split second, producing more torque per kilo than any other of its type. Whilst running water through the unit, food waste is instantly liquified into fine particles that are easily flushed through the pipework system.







Kitchen solutions

Everything in the kitchen should flow smoothly, not just the tap. That's why we create products to make your life easier in the kitchen and that help to maintain a tidy working environment.

The inset waste bin sits neatly in the countertop so food waste can be quickly and hygienically disposed of, while maintaining a minimalist look, and the Franke waste sorter range has multiple solutions to aid in the environmentally friendly disposal of waste.

Choose your perfect sink

As the kitchen sink is seen as the heart of the kitchen, it's the perfect starting point for creating your dream kitchen. Let your imagination run free with a range of fabulous options to help you maximise space and accentuate the look of the entire room. There are however certain functional considerations to take into account and the following information will help to ensure that your ideal sink is the perfect fit for your kitchen.

Inset sinks

Inset sinks are installed from above into a pre-prepared hole in your worktop. It gives you the widest range of sink shapes, sizes and styles to choose from.

Undermount sinks

Undermount sinks are installed underneath the worksurface and therefore require a solid surface worktop such as granite or wood. They are not compatible with laminate worksurfaces.

Belfast sinks

Belfast sinks can be used as either a freestanding feature with brackets or sit on top of base units.



Measuring your cabinet width

It is essential to correctly measure the cabinet width where your sink will be installed. The bowl (or bowls) will need to fit into this space. Each sink in this brochure will show a cabinet size, and your cabinet width needs to be equal to or greater than the stated measurement.




Bowl and drainer configuration

The type and position of your bowl depends on how you intend to use your sink. If you like room to clean large items like grill pans, a larger single bowl may be best for you, or for a multi-functional purpose, you may prefer the versatility of 2 separate working bowls.




The drainer location is also an important consideration. For many sinks you will need to choose the specific version you prefer - with the drainer on the left or right hand side. Conversely, other sinks are reversible which indicates the drainer can be positioned on either side.











Double Bowl





LHD or RHD: This indicates whether the drainer on the sink is found to the left or to the right of the main bowl.



LHSB & RHSB: For sinks without a drainer but with more than one bowl, this indicates which side the small bowl is positioned.





Franke More in Store


We believe that the best place to buy our products is in store. That's because you get a friendly face to listen to and offer expert advice. You also get an unrivalled opportunity to see and feel the quality of Franke for yourself.

That's why we created More in Store, an initiative to support our retailers in giving you great service and the best possible buying experience. What it means for you is more choice, better quality, more knowledge and unbeatable after sales support.

Find your nearest Franke retailer by using the Dealer Locator at www.franke.ie/dealers

Material and finish options

Everyone has a different vision of what would make their kitchen wonderful, and that often begins with how they intend to use it. The demands on your sink will dictate which material is right for your kitchen, as each precision-engineered material has individual character and unique benefits. Our range covers everything from the latest trends to traditional favourites, so all you have to do is pick the one that best fits with your cooking style, your lifestyle and your personal taste.




Fragranite treated with Sanitized®

Fragranite is an exceptionally tough material which is highly resistant to burns, dents, chips and stains. It was pioneered by Franke and contains 80% granite to form a unique material with a subtle sheen that is warm to the touch.

Kitchens can be a critical location for spreading bacteria and demand special attention to hygiene. On unprotected material, bacteria can multiply every 20 minutes making surfaces unhygienic. The integrated Sanitized® hygiene function in Fragranite sinks helps to keep this area clean and provides the sink with lasting protection. It does not replace normal cleaning but helps to keep surfaces free from bacteria. Tests have proven that Fragranite treated with Sanitized® reduces bacteria and microbe growth by 99%.

Fragranite is available in a range of colours:





Active biocidal substance: silver ions. The silver ion locates the bacteria via the moisture and deactivates it.





Stainless Steel

Franke stainless steel sinks are made from premium quality chrome nickel steel, which look stunningly beautiful and is highly resistant to staining, rust and corrosion - plus it won't chip, craze, flake or break. It's the most popular material - and for good reason: Stainless steel has a timeless quality that sits beautifully in a traditional or contemporary style kitchen, offering stunning good looks and a durability that helps keep it looking at its best for years.

Franke offers sinks in a selection of stainless steel finishes, so whether you prefer the more reflective qualities of the polished finish or the more subtle look of the silk or brushed finishes, which give a more matt sheen, there is a stainless steel solution for you.



Note: Stainless Steel as a material is not scratch resistant. The more it gets used, a patina will develop over time.



Ceramic

Ceramic sinks have been a popular choice for years and combine well with a variety of work surfaces such as wood, glass and granite. Ceramic sinks have a smooth, impervious surface, which is resistant to all standard household chemicals. It's a very hardwearing choice that stands up to heat, staining and impacts with ease.





Tectonite

Exceptional resistance to heat, shock and impact, coupled with unique design freedom makes Tectonite sinks the ultimate choice for hardworking, stylish kitchens. New technology represents a giant leap forward for synthetic materials, whilst allowing for exciting minimalist designs in the most popular colour options.





Taps worth talking about

Explore endless shape, line and contour possibilities to make an ordinary kitchen something special. The Franke tap range provides your kitchen with a focal point – and in some cases, a talking point. Featuring cutting edge design and a whole host of innovative features to enhance your lifestyle – from filtered cold water, to Instant Boiling Water – the range spans the entire spectrum of form and function.

Minerva Electronic 4-in-1 in Industrial Black Instant Boiling Water Tap



Instant boiling water taps

Get instant 100°C water at your fingertips, straight from your kitchen tap, with Franke boiling water taps. Perfect for making drinks or getting meals underway in a flash, they combine safety, stylish design and cutting-edge technology.



Mixer taps

Our wonderful range spans the entire spectrum of design, from traditional bridge taps to the chic practicality of a chef's style tap. Many have features to simplify meal preparation and kitchen tasks so that the everyday can become wonderful.



Filtered water taps

Our Vital and FilterFlow taps deliver hot, cold and filtered water in high style. No need to buy bottled water and you can even do your bit for the environment.

Tap flow rates explained

Before choosing your Franke tap it is essential to check whether you have a high or low pressure water system.

If your property has a low pressure water system you will need to check the flow rating of the taps before you make a purchase. If you install a tap with a low flow rating into a low pressure water system you may be disappointed with the flow of water from your tap. In these instances it will be difficult to achieve a suitable mixed flow of water through the tap as the cold mains water is delivered at a higher pressure and will overpower the weaker hot water pressure.

If you have a high pressure system in your home, such as a combi-boiler or pumped system, you should be able to choose from the full range of taps in our range. We strongly recommend that your plumber or installer checks the water pressure in your home before making a purchase.




This symbol indicates the tap will work with a low pressure system, delivering at least 4 litres per minute of hot water at 0.3 bar pressure.




Low pressure (Gravity-fed system)

You have a cold water tank in your attic and a hot water tank in your airing cupboard. You should choose taps which state they are suitable for a low pressure system.



High pressure (Combi-boiler system)

You have a boiler unit but no hot water cylinder. The boiler unit is usually found in the kitchen and delivers hot water on demand. You should be able to choose from most of our taps.



High pressure (Pumped system)

You have a hot water cylinder with an expansion vessel on top (often called Megaflo), usually found in the airing cupboard, but you do not have a cold water tank. You should be able to choose any of our taps. Image shows Mythos Plus MYX 251 TPL SS Sink with Icon Pull-Out Double Jet Shower

Stainless Steel • Inset Sinks 50 Year Guarantee

The newly transformed Mythos Plus sinks combine both design and functionality, thanks to an elegant R10 corner radius and stylish rounded waste cover which sits flush with the sink. The modern and warm design combined with distinctive product features make these products desirable for anyone looking for a top of the range Stainless Steel Franke sink. If you have a flair for cooking, why not take a look at the Mythos Plus accessories to really create a workstation fit for a professional chef!

All sinks come with a 50 year guarantee against manufacturing defects, so you can have peace of mind these products are here to stay!





- Slim-Top edge
- Hygienic overflow offers versatility for cleaning
- Push-button pop up waste
- Replaces the Frames by Franke sink range







Mythos Plus MYX 210 SS

Sink:

Plumbing Kit Compatible: Siphon 1



Mythos Plus MYX 210 TPL SS

Sink:

Plumbing Kit Compatible: Siphon 1



STAINLESS STEEL Silk



Mythos Plus MYX 211 SS

Sink:





Plumbing Kit Compatible:

Siphon 1



Mythos Plus MYX 211 TPL SS

Sink: Plumbing Kit Compatible:

Siphon 1

INCLUDED ACCESSORIES

Black Glass Chopping Board 112.0355.965





Mythos Plus MYX 251 TPL SS

Sink:

Plumbing Kit Compatible: Siphon 2

Image shows MYX 211 Sink. Tap not available in the UK.

Mythos Plus

Every Mythos Plus sink has a super slim steel frame and is fitted either flush or in slim profile. All come with a 50 year guarantee against manufacturing defects. Turn your sink into a multi-functional workstation with the addition of clever accessories that combine function and technology.



Accessories

Turn your Mythos Plus sink into a multi-functional work station with the addition of clever accessories that combine function and technology. From items that aid a hygienic kitchen, to those that make preparation a joy, you'll find accessories to surprise and delight!

Rollamat: 112.0591.081



Silicon Chopping Board Soft Pad: 112.0342.598

- Silicon mat positions on
- the glass chopping board Prevents knives from going blunt Non slip

Gastronorm

Gastronorm

Adaptor: 112.0357.743

Designed to fit perfectly over the sink to make cooking prep a breeze.









Gastronorm Tray: 112.0384.903

Mobile Drainer: 112.0602.288



Stainless Steel Strainer Bowl: 112.0599.107





www.franke.ie

Box Center

Stainless Steel sink



- Also available in undermount models see page 48
- Hygenic overflowPush-button pop up waste
- All accessories are included
- Slim-Top
- Shown with Zelus Chrome/Spring tap



Box Center BWX 220 54-27

Sink:

Plumbing Kit Compatible: Siphon 2

SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL Mat

Matt Brushed

All accessories are included

INCLUDED ACCESSORIES

Stainless Steel Strainer Bowl

Food Preparation Platter

Frame Cover

Wire Rack

Chopping Board

Knife Holder Knife Set

















Box Center BWX 220 41-27

Sink:

Plumbing Kit Compatible: Siphon 2 SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL Matt Brushed



Box Center BWX Compartment Bowl 220 110-27

Sink:

Plumbing Kit Compatible: Siphon 1

Slimtop/flushmount on this model

Note: Accessories fit laterally across the main bowl.



Stainless Steel sink

- Standard edge rolled over to meet the worktop
- Requires 900 x 900 corner base cabinet
- Shown with Davos J Chrome tap



SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL

Silk

	0	
1		
Land.		♦ 900

Studio STX 621-E

Sink:

Recommended

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Stainless Steel Strainer Bowl: 112.0057.850





Mythos

Stainless Steel sink

- Also available in undermount see page 52
- Hygienic overflow offers versatility for cleaning.
- Shown with Zelus Chrome/Spring tap.
- Round flush waste cover gives Mythos
- a smoother base and protects pots and glasses.
- Exclusive Mythos MYX accessories.









Mythos MYX 210-34

Sink:

Recommended (A) (B) (G) (D)
Plumbing Kit Compatible:
Siphon 1



Mythos MYX 210-45

Sink:

```
• Recommended A B C D
```

Plumbing Kit Compatible: Siphon 1

0	Cabinet walls may require modification
	♦ 600

Mythos MYX 210-55

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 1




Mythos MYX 210-70

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 1

ACCESSORIES









Maris MRX 210-19

Sink:					
Recommended	A	B	C	D	

Plumbing Kit Compatible: Siphon 1



Maris MRX 210-34

Sink: • Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 1



Maris MRX 210-45

Sink: • Recommended A B C D

Plumbing Kit Compatible: Siphon 1



Maris MRX 210-55

Sink:

Recommended
 A B C D

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

A Rollamat 42: 112.0030.882





R

0 Stainless Steel Strainer Bowl: Chopping Board: 112.0530.071



D Mobile Drainer: 112.0188.651







Maris MRX 210-70



Plumbing Kit Compatible: Siphon 1



Maris MRX 220 34-34

Sink:

```
• Recommended A B C D
```

Plumbing Kit Compatible: Siphon 2



Maris MRX 260 34-19

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 2 **Epos** Stainless Steel sink



Neptune

• Slim-Top edge

Stainless Steel sink

• Shown with Athena Chrome tap

• Swiss edge profile

- Hygienic overflow offers versatility for cleaning
- Push-button pop up waste
- Shown with Athena Chrome tap





SUGGESTED WDU Turbo Elite TE-50

139

STAINLESS STEEL Silk



Epos EOX 611

Sink:

• Recommended A B C

Plumbing Kit Compatible: Siphon 1



Epos EOX 651



• Recommended A B

Plumbing Kit Compatible: Siphon 2



Neptune NEX 211

Sink:

Plumbing Kit Compatible: Siphon 1



Neptune NEX 251

SUGGESTED WDU

Turbo Elite TE-50

Silk

Sink:



Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Stainless Steel Strainer Bowl: 112.0040.691



B Rollamat 44: 112.0080.355



112.0017.788

ACCESSORIES

Stainless Steel

Strainer Bowl:

Stainless Steel Drainer Basket: 112.0007.664


В



0 Chopping Board: 112.0014.124



A















• Swiss edge profile

- Hygienic overflow offers versatility for cleaning
- Shown with Athena Chrome tap









Argos AGX 611-78

Sink:

• Recommended B C

Plumbing Kit Compatible: Siphon 1



Argos AGX 611-86



```
• Recommended B C
```

Plumbing Kit Compatible: Siphon 1



Argos AGX 611-100

```
Sink:

• Recommended B C
```

Plumbing Kit Compatible: Siphon 1



Argos AGX 651

Sink:

```
• Recommended A B C
```

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Stainless Steel Strainer Bowl: 112.0041.519





B

Drainer Basket: 112.0007.664





• Standard edge rolled over to meet the worktop

• Shown with Athena Chrome tap



SUGGESTED WDU Turbo Elite TE-50

STAINLESS STEEL Silk

Spark SKX 651

• Recommended A B

Plumbing Kit Compatible:

Sink:

Siphon 2



Spark SKX 611-86

Sink:

Recommended A B

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

Stainless Steel Strainer Bowl: 112.0461.942













Stainless Steel sink

- Standard edge rolled over to meet the worktopShown with Athena Chrome tap





Antea AZN 611-86

Sink:

• Recommended B

Plumbing Kit Compatible: Siphon 1



Antea AZN 611-100

Sink:

```
• Recommended B
```

Plumbing Kit Compatible: Siphon 1



Antea AZN 651

Sink:

• Recommended A B

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Stainless Steel Strainer Bowl: 112.0461.942





B

34

Utility

Stainless Steel sink

- Standard edge rolled over to meet the worktop
- Features angled front rubbing board
- Not suitable for solid surface installation
- Shown with Davos J SilkSteel tap

Rotondo

Stainless Steel sink

- Standard edge rolled over to meet the worktop
- Shown with Davos J SilkSteel tap

Rondo Stainless Steel sink

- Ideal preparation area sink
- Shown with Davos J SilkSteel tap



SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL Brushed



Utility UTX 610

Sink:

Plumbing Kit Compatible: Siphon 1



SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL Brushed



Rotondo RBX 610

Sink:

• Recommended A B C

Plumbing Kit Compatible: Siphon 1

В

ACCESSORIES

A Stainless Steel Drainer Basket: 112.0050.639

C Bamboo Chopping Rotondo RBX 604 Board: Drainer: 101.0050.182 112.0154.645







STAINLESS STEEL Brushed



Rondo RNX 610

Sink:

Plumbing Kit Compatible: Siphon 1


Image shows Urban UBG 651 in Sage Grey with Active Plus Pull-Out Spray in Brass

Fragranite Inset Sinks treated with Sanitized[®] and Tectonite



Durable, versatile Fragranite offers a host of practical and aesthetic benefits. The surface's rich colour will not stain, mark or fade over time. Plus being heat, impact and scratch resistant, it's perfect for busy family homes. What's more Fragranite's Sanitized* coating reduces bacteria and microbe growth by 99%, helping keep your sink hygienic and clean.

Similarly, Tectonite sinks have a unique texture and granite-like appearance and are available in a range of colours. Heat resistant up to 300°C, Tectonite's coated surface is protected against stains and bacteria.



Contains biocidal substance: silver phosphate glass. The silver ion locates the bacteria via the moisture and deactivates it.

Maris

Fragranite sink

• Shown with Athena Chrome tap





SUGGESTED WDU Turbo Elite TE-50

FRAGRANITE SILKSHEEN				
	Polar White			
	Coffee			
	Oyster NEW			
	Stone Grey			
	Onyx			
	Matt Black NEW			

0



Maris MRG 611

Sink:

- Recommended B C
- Plumbing set connector included

Plumbing Kit Compatible: Siphon 1

INCLUDED ACCESSORIES

A Stainless Steel Strainer Bowl 112.0064.235



 Includes 	A	
Recommended	B	C

Maris MRG 651

Sink:

• Plumbing set connector included

Plumbing Kit Compatible: Siphon 2

EXTRA COST

B Rollamat 36: 112.0075.642




6

Sliding Glass Board:









THE FIRST FRAGRANITE SINK TO FEATURE SLIM-FIX® CLIPS FOR EASIER INSTALLATION!

ACCESSORIES

Synthetic Strainer Bowl: 112.0538.950




Chopping Board: 112.0595.334





- Hygienic overflow offers versatililty for cleaning
- Large sink bowl and compact drainer
- Shown with Hestia J SilkSteel tap

SUGGESTED WDU Turbo Elite TE-50



ACCESSORIES

A Strainer Bowl: 112.0512.280




B Mobile Drainer: 112.0188.651



Chopping Board: 112.0595.334







Basis BFG 611-78

Sink:

• Recommended A C

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

Chopping Board: 112.0595.334





Basis BFG 611-97

Sink:

B

112.0250.014

• Recommended (A) (C)

Plumbing Kit Compatible: Siphon 1

Stainless Steel Strainer Bowl:



Basis BFG 651

Sink:

• Recommended (A) (B) (C)

Plumbing set connector included

Plumbing Kit Compatible: Siphon 2







• Shown with Zurich Chrome tap





Antea AZG 611-78

Sink:

- Recommended B
- Plumbing set connector included

Plumbing Kit Compatible: Siphon 1



Antea AZG 651

Sink:

Recommended A B
Plumbing set connector included

Plumbing Kit Compatible: Siphon 2



Antea AZG 621

Sink:

- Recommended B
- Plumbing set connector included

Plumbing Kit Compatible: Siphon 2

Stainless Steel Strainer Bowl: 112.0464.521





B



Orion

Tectonite sink

Hygienic overflow offers versatility for cleaningShown with Athena Chrome tap



SUGGESTED WDU

Turbo Elite TE-50

TECTONITE	
	Polar White
	Coffee
	Carbon Black



Orion OID 611-94

Sink: Recommended

Plumbing Kit Compatible: Siphon 1



Orion OID 651

- Sink: • Recommended

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Chopping Board: 112.0595.334





Ceramic Inset Sinks

Ceramic sinks combine beautifully with a variety of work surfaces such as wood, glass and granite. It's no wonder they have been a popular choice for years and their smooth, impervious surface is resistant to all standard household chemicals, making them perfect for modern, hardworking kitchens. It's a durable choice that stands up to heat, staining and impact with ease; so there's much more to ceramic than silky smooth good looks.





Villeroy & Boch

This logo indicates the sink has been produced in partnership with leading ceramic brand Villeroy & Boch.



Ceramic sink



Galassia

Ceramic sink

- Ceramic sink measurements may vary +/-1% due to the firing process
- We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit* see page 108
- Shown with Zurich Chrome tap

- Ceramic sink measurements may vary +/-5% due to the firing process
- We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit*- see page 108
- Shown with Zurich Chrome tap





Ceramic sink



- Ceramic sink measurements may vary +/-1% due to the firing process
 We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit* see page 108
- Shown with Eiger Chrome tap



Turbo Elite TE-75

CERAMIC Gloss White



Arcana AHK 611

Sink:

Plumbing Kit Compatible: Siphon 1



Arcana AHK 651

Sink:

Plumbing Kit Compatible: Siphon 2

*NB: Batch feed WDU's are not compatible with ceramic sinks.



Image shows Arcana AHK 611 Sink with Eiger Chrome Tap



FRANKE

Villeroy & Boch

- Ceramic sink measurements may vary +/-1% due to the firing process
- We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit*- see page 108
- Shown with Eiger Chrome tap

SUGGESTED WDU Turbo Elite TE-75

Gloss White



Belfast VBK 710

Sink:

Plumbing Kit Compatible: Siphon 1



0

Belfast VBK 720

Sink:

Plumbing Kit Compatible: Siphon 2



Belfast BAK 710

Sink:

Plumbing Kit Compatible: Siphon 1

Not Franke by Villeroy & Boch Not compatible with WDU

*NB: Batch feed WDU's are not compatible with ceramic sinks.



Stainless Steel Undermount Sinks

It's your kitchen, so why should you compromise on style or performance? Stainless steel undermounts are particularly easy to clean and exceptionally durable, so luckily you don't have to.

They give a flawless, uninterrupted look to your kitchen and for solid work surfaces such as granite and wood, a stainless steel undermount sink clips directly underneath the surface to provide a work area that is practical and hygienic. These sinks not only look beautiful, but are resistant to staining, chipping, rust and corrosion. With a long history as the world's premium brand in kitchen sinks, you can be confident that you are buying a quality product with premium features. In fact, we are so confident about the quality of manufacture that we offer a 50-year guarantee on all Franke sinks.

Please note: The majority of 1.5 bowl sinks have a template which gives a flange reveal to accommodate accessories. We recommend that you speak to your worktop fabricator to ensure whether or not this is required.



Box Center

Stainless Steel Undermount sink

- Available in inset/flushmount models see page 24
- Hygenic overflow offers versatility for cleaning
- All accessories are included

All accessories are included

• Shown with Zelus Chrome/Spring tap







Box Center BWX Compartment Bowl 220 110-27

Sink:

Plumbing Kit Compatible: Siphon 1



Box Center BWX 120 41-27

Sink:

Plumbing Kit Compatible: Siphon 2

Note: Accessories fit laterally across main bowl.

EASILY ACCESSIBLE S ACCESSORIES integrated in the MAIN BOWL

INCLUDED ACCESSORIES

Stainless Steel Strainer Bowl

Platter

Food Preparation

Frame Cover Wire Rack Chopping Board

Knife Holder

Knife Set


















Box

Stainless Steel Undermount/Inset sink





50



Chopping Board: 112.0539.134



Please note: Only one size and design available.





Box BXX 110 68

Sink:					
Recommended	A	В	С	D	e

Plumbing Kit Compatible: Siphon 1



Box BXX 160 34-16

Sink:

• Recommended A B C D E

Plumbing Kit Compatible: Siphon 2

NEW INTRODUCING YOUR ASSISTANT CHEF

TRAN

See the Andy Chef

Andy Chef accessories kit works smartly and efficiently with your Franke Box[®] bowl sink in creating a perfectly organised workstation. The innovative and stylish designer kit features a case, a stainless steel strainer bowl, a walnut chopping board and a chef's knife.

You can store Andy Chef in it's designated place inside the Franke Box[®] sink or proudly show it off on your kitchen worktop.

E Andy Chef: 112.0619.946



www.franke.ie 51

.


•

•

.

Mythos

Stainless Steel Undermount sink





Mythos Chopping Board:







Mythos MYX 110 70

Sink:

• Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 1



Mythos MYX 160 34-16

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 2



Mythos MYX 160 50-16

Sink:

• Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 2



Mythos MYX 120 34-34

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 2



Largo Stainless Steel Undermount sink

- Hygienic overflow offers versatility for cleaning
- Visual shows flush fit installation
- Standard template cut-out for sink is oversized providing flange reveal to allow accessories to fit if required
- Shown with Zelus Chrome/Spring tap

SUGGESTED WDU Turbo Elite TE-75





Largo LAX 110 45

- Sink:
- Recommended (A) (E) (E)

Plumbing Kit Compatible: Siphon 1



Largo LAX 110 50

Sink: • Recommended A F

Plumbing Kit Compatible:

Siphon 1



Largo LAX 110 50-41

Sink:

• Recommended A B C E F

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

Stainless Steel Drainer Basket: 112.0007.664



B Stainless Steel Strainer Bowl: 112.0175.520



Maple Chopping Board: 112.0014.124





MAKE IT WONDERFUL





Largo LAX 120 45-30

Sink:

• Recommended DE

Plumbing Kit Compatible: Siphon 2



Largo LAX 120 36-36

Sink: • Recommended DE

Plumbing Kit Compatible: Siphon 2



Largo LAX 160 36-16

Sink:

• Recommended DE

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

Mobile Drainer(342x430mm): 112.0188.651






B


Rollamat 40:

Mobile Drainer (333x417mm): 112.0188.653



Maris Stainless Steel Undermount sink







Maris MRX 110-19

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 1



Maris MRX 110-34

Sink: Recommended A B C D

Plumbing Kit Compatible: Siphon 1



Maris MRX 110-45

Sink: • Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 1



Maris MRX 110-55

Sink:

• Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

A Rollamat 42: 112.0030.882







Chopping Board:

6

D Mobile Drainer: 112.0188.651







Maris MRX 110-70

• Recommended A B C D

Plumbing Kit Compatible: Siphon 1



Maris MRX 120 34-34

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 2




Maris MRX 160 34-19

Sink:

• Recommended A B C D

Plumbing Kit Compatible: Siphon 2



Ariane

Stainless Steel Undermount sink

- Hygienic overflow offers versatililty for cleaning
- Visual shows flush fit installation
- Standard template cut-out for sink is oversized providing flange reveal to allow accessories to fit if required
- Shown with Athena Chrome tap





Ariane ARX 110 17

Sink:

Plumbing Kit Compatible: Siphon 1



Ariane ARX 110 17D

Sink:

Recommended

Plumbing Kit Compatible: Siphon 1



```
Sink:

• Recommended B C
```

Plumbing Kit Compatible: Siphon 1



SUGGESTED WDU

Turbo Elite TE-50

STAINLESS STEEL

Ariane ARX 110 35

Sink:

• Recommended (A) (B) (C)

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

Stainless Steel Drainer Basket: 112.0007.664







C Rollamat 40: 112.0050.988







Ariane ARX 160



Plumbing Kit Compatible: Siphon 2



Ariane ARX 160D

Sink:

• Recommended A B C

Plumbing Kit Compatible: Siphon 2

Rotondo Stainless Steel Undermount sink

• Shown with Zelus Chrome/Spring tap





SUGGESTED WDU Turbo Elite TE-75

STAINLESS STEEL Silk

Sink:

• Recommended (A) (B) (C) (D)

Plumbing Kit Compatible: Siphon 1

ACCESSORIES

A Drainer Basket White: 112.0050.254



C









Fragranite & Ceramic Undermount Sinks

Wonderful spaces should simply flow. With undermount sinks, there is nothing to break the smooth flow of your solid granite or wood worksurface. A granite undermount sink provides a subtle complement to your kitchen design. Alternatively, create a bold contrast to granite surfaces with the striking look of a ceramic sink or add a splash of colour with hard, durable Tectonite. Either option represents a hardwearing choice that turns a kitchen into a work area that's a pleasure to be in. **Please note:** The majority of 1.5 bowl sinks have a template which gives a flange reveal to accommodate accessories. We recommend that you speak to your worktop fabricator to ensure whether or not this is required.

Fresno Fragranite Undermount sink

• Hygienic overflow offers versatililty for cleaning

- Exceptionally hard wearing
- Hidden waste with flush cover
- Shown with Pescara Semi-Pro XL tap



SUGGESTED WDU Turbo Elite TE-75

20

Fresno FSG 111

Sink:

Includes



Plumbing Kit Compatible: Siphon 1

Please note:

We would recommend that single side lever or top side lever style taps are fitted with this sink, given the position of the tap platform.

ROLLAMATes fits Perfectly ON SINK



An ultra contemporary style with trendy colours and texture

INCLUDED ACCESSORIES

A Rollamat FSG




EXTRA COST

B Stainless Steel Strainer Bowl: 112.0066.060




C Drainer Grid: 112.0479.069





Kubus KNG

Fragranite Undermount sink




Kubus

Fragranite Undermount sink

- Hygienic overflow offers versatililty for cleaning
- Exceptionally hard wearing
- Shown with Mythos MTX Chrome tap







Kubus KBG 110 34

Sink:	
0	

• Recommended (A) (B) (C)

Plumbing Kit Compatible: Siphon 1



Kubus KBG 110 50

Sink: • Recommended A B C

Plumbing Kit Compatible: Siphon 1



Kubus KBG 110-70

Sink: • Recommended (A) (B) (C)

Plumbing Kit Compatible: Siphon 1



Kubus KBG 160

Sink:

• Recommended A B C

Plumbing Kit Compatible: Siphon 2

ACCESSORIES

A Rollamat 40: 112.0050.988




B Mobile Drainer: 122.0188.651



C Strainer Bowl: 112.0066.060







Kubus KBK

Ceramic Undermount sink

- Ceramic finish in three colours
- Ceramic sink measurements may vary +/-1% due to the firing process
 We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit*- see page 108
- Shown with Zelus Chrome/Spring tap



SUGGESTED WDU
Turbo Elite TE-75
CERAMIC





Kubus KBK 110 40

Sink:

Recommended

Plumbing Kit Compatible: Siphon 1



Kubus KBK 110 50

Sink:

Recommended

Plumbing Kit Compatible: Siphon 1

Kubus KBK 160

Sink:

Recommended

Plumbing Kit Compatible:

Siphon 2

- Included 11/2" non-sealable basket strainer waste in small bowl
- WDU cannot be fitted in half bowl

*NB: Batch feed WDU's are not compatible with ceramic sinks.









Ceramic Undermount sink



- Gloss white ceramic finish
- Ceramic sink measurements may vary +/-1% due to the firing process
- $\ensuremath{\,\bullet\,}$ We recommend that the sink should be used as a template in all cases
- Extended flange required if installing a waste disposal unit* see page 108
- This sink cannot be fitted with a reveal due to the unglazed flange
- Shown with Eiger Chrome tap





CERAMIC

Gloss White



Franke by Villeroy & Boch VBK 110 21

Sink:

Recommended

Plumbing Kit Compatible: Siphon 1



Franke by Villeroy & Boch VBK 110 33

Sink:

Recommended

Plumbing Kit Compatible: Siphon 1



Franke by Villeroy & Boch VBK 110 50

Sink:

```
    Recommended
```

Plumbing Kit Compatible: Siphon 1



Franke by Villeroy & Boch VBK 160

Sink:

Recommended

Plumbing Kit Compatible: Siphon 2

 Included 1½" black plug in small bowl

*NB: Batch feed WDU's are not compatible with ceramic sinks.








Mage with fire Ceramic by Franke is FIRED FOR 20 HOURS in a tunnel kiln at VERY HIGH TEMPERATURES. This process creates an EXTREMELY HARD SURFACE scratch-resistant, HEAT-PROOF AND impervious to acids and bleaches.



Image shows Ariane ARX 160 Sink with Omni 4-in-1 Stainless Steel Instant Boiling Water Tap



Instant Boiling Water Taps - The Ultimate Kitchen Companion

With kitchen design playing a key role in home improvement, the future of the kitchen has arrived with the introduction of instant boiling water taps. Franke Boiling Water taps offer hot, cold and instant 100°C boiling water to save time, energy and water in a single stylish, convenient and space-saving unit.

You can now cook vegetables, create pasta dishes, sterilise babies bottles and make tea or coffee quicker than ever before with 100°C boiling water available instantly. Most 'boiling' tap systems only produce less than 98°C so hot drinks don't taste as good as they should.

Please check your domestic water pressure in relation to the tap operating pressure before purchase.

Each filter lasts around 6 - 9 months and replacing the filter is as easy as changing a lightbulb.



The Franke instant boiling water taps deliver fully boiling 100°C water instantly for the perfect cuppa.


It is important that you change your filter regularly to keep the water free of impurities and fresh to drink. This will also protect the system from harmful debris and deposits.

	Functions	Filtered Cold	100°C Boiling	Mains Cold	Mains Hot
OMNI ORIGINAL & CONTEMPORARY	4	~	1	~	1
MINERVA ORIGINAL, MONDIAL & HELIX ELECTRONIC 4-IN-1	4	1	1	1	1
MINERVA HELIX & MONDIAL 3-IN-1	3	×	1	1	1
MINERVA ORIGINAL 3-IN-1	3	×	1	1	1

Minerva 4-in-1 Electronic Range



The electronically controlled Minerva 4-in-1 tap delivers 100°C boiling, warm, cold or cold filtered water in an instant.



For a faster, flawless installation our popular Minerva 4-in-1 taps now feature the new Franke M-Box. Incorporating a Franke Pro M filter, inlet combination, mixing valve set, gasket set and control box in a single unit, the M-Box tidies pipework and allows for horizontal or vertical installation in as little as 20 minutes.

Pressing in the electronic dial wakes the tap from its safety standby mode when the dial glows white. For 100°C boiling water, select the red light and pressing the dial in twice will automatically dispense 30 seconds worth of water, enough to fill a pan, press three times for 60 seconds. Select blue for cold filtered water and a double press of the dial will dispense cold filtered water for 15 seconds, press three times for 30 seconds. The flow of water in each case can also be controlled manually by turning and holding the dial to give more or less water than the pre-set options. The user can select which mode best suits the task in hand.



White Neutral setting

Red/Blue colour combination Boiling water warning

3 NEW COLOURS

Make a statement in your kitchen with one of our three new colours. The taps are solid stainless steel with a long lasting coating keeping the structure of the stainless steel visible. Will you choose the tough Industrial Black, the stand out Champagne Gold or the on-trend Copper? With a choice of 2 models; Mondial L Spout or Helix J Spout, there is always a tap that fits your kitchen style.



Can fit ? RTIGALLY ** HORLZONIALY your cabined Dimensions of tank below Width 550mm Height 142mm Deth 211mm

Minerva 4-in-1 Electronic



- Electronic touch control
- Dispenses 100°C boiling, cold filtered, hot and cold water
- 5L horizontal tank can be fitted vertically or horizontally
- Easy to install
- 2 year working parts guarantee 2 year finish and O-ring guarantee







Minerva Mondial 4-in-1

FINISH	
Solid Sta	ainless Steel
Champa	agne Gold
Copper	
Industri	al Black

Minerva Helix 4-in-1

FINISH
Solid Stainless Steel
Champagne Gold
Copper
Industrial Black



Minerva Helix in Champagne Gold





Industrial Black

Minerva Mondial in Champagne Gold





Solid Stainless Steel



www.franke.ie

Omni 4-in-1 Range

Omni 4-in-1 delivers not only hot and cold mains water but also cold filtered and 100°C boiling water. Omni delivers beautifully pure, fresh tasting water, so there's no need for expensive bottled water. Omni is easy to fit in new or existing kitchens, safe to use and ultra reliable with a 3-year guarantee. Best of all, it's refreshingly affordable.



4-in-1 technology

Omni is the world's first mechanical 4-in-1 kitchen mixer tap, offering filtered boiling and filtered cold water, as well as the usual mains hot and cold.

Minimal maintenance

Omni is a complete system, including tap, boiler and under sink filter. The filter provides high quality drinking water and also protects the boiler from limescale build-up. Each filter lasts around 6 - 9 months and replacing the filter is as easy as changing a lightbulb.

True 100°C boiling water

Most 'boiling' tap systems only produce less than 98°C so hot drinks don't taste as good as they should. Omni delivers fully boiling 100°C water instantly for the perfect cuppa.

Easy installation

Virtually no tools and minimal plumbing skills are required for installation.

Safety assured

Omni is safer than a traditional kettle in so many ways; there are no cords which can be pulled to avoid any nasty accidents as on a kettle. The childproof push-to-activate lever helps to keep boiling water away from little hands. The lever is also spring loaded to switch off instantly if any splashes occur.

A child safety clip is provided for total protection from curious little hands or visitors to your home. All this and the patented chassis engineering means the tap is never too hot to the touch. It stays cool even when producing boiling water.

A full 3-year guarantee for total reliability

A 3-year manufacturer's guarantee covers the complete system for your total peace of mind.

Exceptional aftercare

Our UK based advisors are always on hand to help. Filters tell you when they need replacing, and replacements are easy to order by phone or online.

www.franke.ie/ omni

Omni 4-in-1





Minerva 3-in-1 Range

The Minerva 3-in-1 tap provides hot, cold and 100°C boiling water. The humble kitchen tap is transformed into a space-saving, time-saving helper with this boiling water tap and there are 3 stylish designs to choose from.

Safety is assured with a two-step safety handle, while the fully insulated spout and handle ensure that they both stay cool to the touch. The Minerva system features a space-saving water tank that fits discreetly into your kitchen so that boiling water is always ready when you need it.

Discreet and suitable for almost any kitchen, the horizontal heating tank sits neatly behind a standard 150mm cabinet plinth, freeing up muchneeded cupboard space. Those who have chosen Minerva in their kitchen have found it not only provides a stylish and functional addition to their home, but is also a real talking point.





Please note: The Franke Minerva range of taps require a minimum water pressure of 1.5 bar hot and 1.5 bar cold to function correctly. Please consult your plumber or installer before purchase.









FilterFlow Taps

The stylish and superbly engineered FilterFlow range is the blueprint for multi-tasking kitchen taps. Having filtered water at your fingertips means no more cumbersome, expensive bottled water, and naturally, there is the peace of mind of knowing your family's drinking water is clean, refreshing and free of impurities. Franke FilterFlow taps remove a wide range of impurities, including chlorine, organic matter, chemical and pharmaceutical traces, metallics and sediment.

What about the things that are good for you?

The FilterFlow tap won't remove minerals and desirable elements such as calcium, magnesium and fluoride. These are dissolved in the water and no part of the filtration process removes these from the water. They remain intact – and help to ensure your water is as healthy as it is refreshing.

Please note: Franke FilterFlow taps require a minimum water pressure of 1 bar (hot and cold). Be sure to ask a qualified installer to check your home's plumbing system and water pressure before purchase.

Franke FilterFlow

Playing our part in reducing plastics free refillable water flasks with selected Franke taps

The amount of plastic going into landfill is an ever-increasing problem. And each year more than 8 million tonnes of plastic finds its way into our oceans - polluting the water, affecting marine life and, in turn, impacting on the food chain and our overall health. One of the biggest contributors to this problem is single use plastic water bottles.

Why not play your part by switching to a sustainable refillable water bottle? We can all help to reduce the impact plastic is having on the planet.

How do FilterFlow taps work?

Franke FilterFlow taps are connected to a compact filter system that is fitted below the sink. When you select the tap's third lever, cold water is diverted through the filter system. The system's filter cartridge removes contaminants before the freshly filtered water travels back through a dedicated waterway inside the tap's spout.

The filtration process

FilterFlow filter cartridges provide a unique and highly effective two-stage filtration process. The cartridges feature an outer ceramic shell and an inner carbon core. The fine ceramic has the ability to trap even the most microscopic of impurities, down to sub-micron level. The activated carbon core is manufactured from solid carbon rod, and eliminates contaminants such as chlorine and heavy metals, as well as unpleasant odours.


Which impurities does a FilterFlow tap remove?

Franke FilterFlow taps will remove a wide range of impurities, including chlorine and chloramine – which you can often smell in tap water – organic matter, chemical and pharmaceutical traces, metallics and sediment. Importantly, a FilterFlow tap also has the capacity to remove harmful, sickness inducing bacteria, if it is present.

Technical essentials

On average, a Franke FilterFlow tap will deliver around 2,500 litres of filtered water before its filter cartridge will need changing. And that couldn't be simpler. It's a 1-2-3 operation and as easy as changing a lightbulb.













The Vital Capsule Filter System

The easiest way to enjoy filtered water. It delivers the most wonderful tap water you've ever tasted. Developed in Switzerland, it's the most advanced water filter system in the world.



Our water filter is not only the smallest in the world, but also the first to combine activated carbon with a bionic membrane. The flow of water from the filter straight into the glass and the combination of activated carbon and a high-tech membrane ensure supreme water quality. The filter removes bacteria, viruses, pesticides, hormones and microplastics. Not only does tap water taste better, it is also much healthier. The Franke Vital Capsule taps look stunning in any kitchen. The system is so compact that no complicated installation under the sink is required. An iconic space-saving design is available in various designs and colours. Simply order capsules conveniently online and enjoy fresh water day after day.

Modelled on nature, developed in Switzerland.

All Vital taps are supplied with a High-Performance filter as standard, but for those rare occurrences where an enhanced water flow rate is required, Franke have developed the High-Flow filter which is a superb alternative providing continuous high flow rates in areas where the High-Performance filter can get congested prematurely due to excessive sediment contamination in the water.

The High-Flow filter has a mesh size that is 20 times finer than ordinary household filters. As a result, rust, dirt and fine sediments are filtered out for cleaner water. Please note, the High-Flow filter does not remove microbial cysts, microplasts, bacteria & viruses.

Vital Capsule 3-in-1 Filter Tap Semi-Pro



Vital Capsule 3-in-1 **Filter Tap J-Spout**







- 5 year working parts guarantee

Chrome/Gunmetal SilkSteel PVD/Matt Black

Vital Capsule Single Dispense Filter Tap





• 360° rotation • 5 year working parts guarantee 1 year finish guarantee

Chrome/Gunmetal SilkSteel PVD/Matt Black

Vital Capsule Filter



FILTER

Single Capsule Filter Set of three Capsule Filters

NB: Each filter will last approximately 4 months. New filter capsules can simply be reordered online via: central-servicesuk.co.uk

Vital Chiller



- 2.5L Capacity
- Sits in cabinet under the sink
- Temperature range: 5-12°C • Low noise system
- Stainless Steel
- Compatible only with Vital Capsule filter taps

One size







Franke Tap Range

We place huge importance on creating products that stand the test of time and make your kitchen a more wonderful place to cook and entertain. From extravagant to purist. From SilkSteel finish to polished Chrome or Solid Stainless Steel. Whether you prefer a flexible, pull-out spray or directional nozzle, the Franke tap range meets every need in every kitchen. Your favourite Franke tap will be the perfect complement to your ideal Franke sink. Designed for a discerning clientele, this collection has styles and attributes to meet every taste. Franke is so confident of the quality and manufacture of these models, that we guarantee them between 2 - 5 years on the finish and 5 years on internal working parts.






NOW YOU CAN WASH YOUR HANDS SAFELY, LOWERING ANY RISKS OF CROSS-CONTAMINATION FOR A SAFER, HEALTHIER, GERM-FREE HOME.




- Hybrid function enabling manual lever for everyday use and sensor activity for hand washing.
- The touchless and manual controls operate independently from each other.
- The sensor screen is easy to keep clean and easy to use.
- The sensor controls the touch free water temperature.
- If unintentionally started and once activated, the water flow stops in less than a second!
- The temperature on the sensor is set upon installation in the control box under the sink.
- Quick and easy plug-in installation: the tap, the control box, and the battery.











FRANKE PESCARA SWIVEL UP AND DOWN







Pescara Swivel Up and Down



Pescara Pull Down XL

Pescara

Semi-Pro XL



Pull-Out spray
5 year guarantee on working parts and 1 year on coatings, finish and O-rings

FINISH Chrome

Pescara 360°




Quick release magnetic holder
Perlator mixes air into the water to give a champagne-like flow

Pull-Out Spray

 5 year guarantee on working parts and 1 year on coatings, finish and O-rings

FINISH Chrome



Franke Pull-Out Range



With a Pull-Out Nozzle, the spout is connected to a hose you can pull out to where you need your water flow. Ideal for washing salads, as well as filling pots. A Pull-Out Spray also switches between standard flow and spray function for extra versatility. A combination of Side Spray and main tap offers you even more options for your day-to-day kitchen tasks.



Olympus Spring



Arena Pull-Out Spray






Pull-Out Spray

- Perlator mixes air into the water
- to give a champagne-like flow5 year guarantee on working parts
- 1 year on finish and O-ring guarantee






Franke Coloured Tap Range



Maris Free Swivel

- Perlator mixes air into the water to give a champagne-like flow
- 5 year guarantee on working parts and 1 year on coatings, finish and 0-rings













Active Plus Soap Dispensers

• Fast and easy to operate hand pump for all liquid soaps

• Fits neatly alongside sinks in the worktop



Orlando



Textura

- Perlator mixes air into the water to give a champagne-like flow
- 5 year guarantee on working parts and 1 year on coatings, finish and O-rings


Textura Semi-Pro




Textura U-Spout



Franke Standard Tap Range














Kitchen Solutions

Franke innovation doesn't end with sinks and taps.

We strive to make your life easier in every aspect of your kitchen with a range of convenient and practical kitchen solutions. From dealing with unsightly household waste in a hygienic manner to effortlessly sorting waste for recycling, they are designed to save time and to incorporate kitchen essentials discreetly into kitchen units, so that you can maintain a clean, uncluttered kitchen.

Tap Brace



- Connects the tap to the worktop for extra support
- Variable collar fits any model of tap
- Can be used on any stainless steel inset sink

133.0026.896

Waste Bin



- Inset stainless steel system
- 12 litre polyethylene container
- Sits flush with worktop
- Cover keeps odours sealed inside

134.0035.042

Franke Waste Sorter Bins

Fitting neatly into most standard cabinets, Franke Waste Sorters feature separate plastic containers to sort domestic waste into different categories such as food, cans, plastic and paper. A lid closes over the bins to contain any odours. Franke Waste Sorters are the convenient alternative to the conventional waste bin.

Standard door systems

The Franke 300 Series Sorter Systems are a useful addition to any kitchen with standard doors, fitting neatly into 450mm and 600mm kitchen base units. Each bin has a handle that can also be used to secure waste bags. The roll-out carrier is fully waterproof, simple to dismantle and easy to clean.





300-45 Duo

Sorter 300-45 Trio



Cabinet width 450mm

• 1 x 22L bin and 2 x 10L bin

SORTER 300-45 Trio

Sorter 300-60 Duo







Franke Waste Disposal Units

A choice of five waste disposal units designed to free the kitchen of unsightly and unhygienic organic household waste. Each unit is the essential add-on for ensuring that all Franke appliances and work surfaces remain looking immaculate. Thanks to a permanent magnet motor, Franke Turbo Elite Waste Disposal Units reach high speed in a split second, producing more torque per kilo than any other of its type. Whilst running water through the unit, food waste is instantly liquefied into fine particles that are easily flushed through the pipework system.



A waste disposal unit can be a wonderful addition to any kitchen. And by following our advice on what you can and cannot put down them, you can keep your disposer in good working order.

nd

dos

Waste disposal units are designed to deal with small amounts of organic waste such as fruit and vegetable peelings, small bones from fish and chicken, coffee grounds, pips and seeds, nutshells, eggshells, rice and leftover meat. But to prevent any problems, avoid putting teabags, seafood shells, corn cobs, banana skins, pineapple leaves or metal, glass, plastic and paper down it. Plus, to keep things smelling clean and fresh, don't use drain cleaner – instead squirt a few drops of lemon juice in there.

Waste Disposal Unit Turbo Elite TE-50



FEATURES	
Feed	Continuous
Motor Horsepower	0.5 HP
Motor Speed RPM	2600
Motor Type Hig	h Torque Dual Magnetic
Air Switch	Integral
Mounting System	Professional 3-bolt
Warranty	10 Years

Waste Disposal Unit Turbo Elite TE-125



FEATURES	
Feed	Continuous
Motor Horsepower	1.25 HP
Motor Speed RPM	2800
Motor Type High	n Torque Dual Magnetic
Air Switch	Integral
Mounting System	Professional 3-bolt
Warranty	10 Years

Waste Disposal Unit Turbo Elite TE-75



Continuous	FEATURES Feed
Continuous	
0.75 HP	Motor Horsepower
2700	Motor Speed RPM
Torque Dual Magnetic	Motor Type High
Integral	Air Switch
Professional 3-bolt	Mounting System
10 Years	Warranty

Waste Disposal Unit Turbo Elite TE-125B



FEATURES		
Feed		Batch
Motor Horsep	ower	1.25 HP
Motor Speed	RPM	2800
Motor Type	High	Torque Dual Magnetic
Air Switch		N/A
Mounting Sys	tem	Professional 3-bolt
Warranty		10 Years

Waste Disposal Unit Turbo Elite Slimline TE-75S



SO MAKE

Continuous
0.75 HP
2700
Forque Dual Magnetic
Integral
Professional 3-bolt
10 Years

Extended Flange



An extended flange is available from service agents at extra cost if required when fitting to ceramic sinks.

Please note: Overflow connector required when fitting WDU in main bowl.

Note:

K,

cener,

Chrome Airswitch Button supplied with all Continuous Feed models.

SilkSteel Airswitch Button now available as a spare.

70





Image shows Urban UBG 651 in Sage Grey with Active Plus Pull-Out Spray in Brass



Technical Specifications

A comprehensive overview of all products in the Franke range incorporating dimensions, formats and available finishes. Sink Specifications112-121Tap Specifications122-126Kitchen Solutions127-128



			I	Dimensions (mm	ı)	Inst	alla	tion		
Stainless Ste	eel Inset Sinks	Cabinet Size	Overall Size	Powel Size(a)	Cut Out Size cr= Corner Radius	Inset	Undermount	Flushmount	Plumbing Kit	Finish & Colour Options FUN Number
<mark>Antea</mark> AZN 611-86		450	860 x 500	Bowl Size(s)	840 x 480 cr=10	•			S1	Polished REV 101.0489.523
<mark>Antea</mark> AZN 611-100	•	600	1000 x 500	450 x 420 x 160	980 x 480 cr=10	•			S 1	Polished REV 101.0489.525
<mark>Antea</mark> AZN 651	00	600	1000 x 500	340 x 420 x 155 170 x 280 x 80	980 x 480 cr=10	•			S2	Polished REV 101.0489.526
<mark>Argos</mark> AGX 611-78	0	450	780 x 510	350 x 435 x 175	766 x 496 cr=10	•			S1	Silk REV 101.0607.697
Argos AGX 611-86		450	860 x 510	350 x 435 x 175	846 x 496 cr=10	•			S1	Matt Brushed REV 101.0531.599
Argos AGX 611-100		550	1000 x 510	435 x 435 x 180	984 x 494 cr=10	•			S1	Matt Brushed REV 101.0531.600
<mark>Argos</mark> AGX 651		600	1000 x 510	350 x 435 x 175 160 x 300 x 120	984 x 494 cr=10	•			S2	Matt Brushed REV 101.0531.651
Box Center BWX 220 54-27	c o	900	860 x 510	540 x 410 x 200 270 x 480 x 200	840 x 490 cr=12	•			S2	Brushed LHSB 127.0570.616 RHSB 127.0570.617
Box Center BWX 220 41-27	0	900	790 x 510	410 x 480 x 204 270 x 480 x 204	770 x 490 cr=10 (inset) 792 x 512 cr=11 (flushmount)	•			S2	Brushed REV 127.0611.736
Box Center Compartment Bowl BWX 220 110-27	O	400	300 x 510	270 x 480 x 204	280 x 490 cr=10 (inset) 302 x 512 cr=11 (flushmount)	•			S1	Brushed 127.0611.738
Epos EOX 611		500	1000 x 510	445 x 390 x 175	984 x 494 cr=10	•			S1	Silk LHD 101.0381.857 RHD 101.0381.858
<mark>Epos</mark> EOX 651		600	1000 x 510	360 x 390 x 175 160 x 390 x 120	984 x 494 cr=10	•			S2	Silk LHD 101.0381.860 RHD 101.0381.861
Galassia GAX 611	0	600	1000 x 500	450 x 400 x 190	980 x 480 cr=20	•			S1	Silk LHD 101.0305.130 RHD 101.0305.141
<mark>Galassia</mark> GAX 621	00	900	1160 x 500	450 x 400 x 190 300 x 340 x 170	1140 X 480 cr=20	•			S2	Silk LHD 101.0381.849 RHD 101.0381.851
Maris MRX 211	0	600	1000 x 510	435 x 435 x 180	987 x 497 cr=10	•			S1	Silk LHD 127.0305.144 RHD 127.0305.145
<mark>Maris</mark> MRX 251	90	600	1000 x 510	350 x 435 x 175 160 x 300 x 120	987 x 497 cr=10	•			S2	Silk LHD 127.0305.146 RHD 127.0305.147
Maris MRX 210-19	0	300	230 x 440	190 x 400 x 130	200 x 410 cr=10	•			S1	Brushed 127.0553.950

				Dimensions (mm	1)	Inst	talla	tion			_
		t Size					nount	Jount	ng Kit		
Stainless Ste	el Inset Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Flushmount	Plumbing Kit	Finish & Colour Options	FUN Number
<mark>Maris</mark> MRX 210-34	Q	400	380 x 440	340 x 400 x 180	350 x 410 cr=10	•			S1	Brushed	127.0531.915
<mark>Maris</mark> MRX 210-45	0	500	490 x 440	450 x 400 x 180	460 x 410 cr=10	•			S1	Brushed	127.0553.961
<mark>Maris</mark> MRX 210-55	0	600	590 x 440	550 x 400 x 180	560 x 410 cr=10	•			S1	Brushed	127.0553.962
<mark>Maris</mark> MRX 260 34-19	00	600	591 x 436	340 x 400 x 180 190 x 400 x 130	565 x 410 cr=10	•			S 2		LHSB 127.0553.963 RHSB 127.0570.247
<mark>Maris</mark> MRX 210-70	0	800	740 x 440	700 x 400 x 180 cr=10	710 x 410 cr=10	•			S 1	Brushed	127.0531.916
<mark>Maris</mark> MRX 220-34-34	0 0	800	745 x 440	340 x 400 x 180 cr=10	715 x 410 cr=10	•			S 2	Brushed	127.0531.913
<mark>Mythos</mark> MYX 210-34	0	450	352 x 412	340 x 400 x 200	346 x 406 cr=28 (inset) 352.4 x 412.4 cr=31.2 (flushmount)	•		•	S1	Brushed	127.0607.087
<mark>Mythos</mark> MYX 210-45	0	550	462 x 412	450 x 400 x 200	456 x 406 cr=28 (inset) 362.4 x 412.4 cr=31.2 (flushmount)	•		•	S1	Brushed	127.0607.088
<mark>Mythos</mark> MYX 210-55	0	600	562 x 412	550 x 400 x 200	556 x 406 cr=28 (inset) 562.4 x 412.4 cr=31.2 (flushmount)	•		•	S1	Brushed	127.0607.101
<mark>Mythos</mark> MYX 210-70	0	800	712 x 412	700 x 400 x 200	706 x 406 cr=28 (inset) 712.4 x 412.4 cr=31.2 (flushmount)	•		•	S 1	Brushed	127.0607.102
Mythos Plus MYX 210 TPL SS		600	580 x 520	500 x 400 x 200	566 x 506 cr=10 (inset) 580.8 x 520.8 cr=10.4 (flushmount)	•			S1	Brushed	127.0640.216
Mythos Plus MYX 210 SS	0	600	580 x 458	500 x 400 x 200	566 x 444 cr=10 (inset) 580.8 x 458.8 cr=10.4 (flushmount)	•			S1	Brushed	127.0640.218
Mythos Plus MYX 211 TPL SS		600	860 x 520	500 x 400 x 200	846 x 506 cr=10 (inset) 860.8 x 520.8 cr=10.4 (flushmount)	•			S1	Brushed	LH 127.0640.219 RH 127.0640.511
<mark>Mythos Plus</mark> MYX 211 SS		600	860 x 458	500 x 400 x 200	846 x 444 cr=10 (inset) 860.8 x 458.8 cr=10.4 (flushmount)	•			S1	Brushed	LH 127.0640.512 RH 127.0640.513
Mythos Plus MYX 251 TPL SS		600	860 x 520	Main Bowl: 340 x 400 x 200 Second Bowl: 160 x 400 x 150	846 x 506 cr=10 (inset) 860.8 x 520.8 cr= 10.4 (flushmount)	•			S2	Brushed	LH 127.0640.514 RH 127.0640.515
Neptune NEX 211	0	600	864 x 514	360 x 420 x 200	855 x 506 cr=20	•			S1	Silk	LHD 127.0059.655 RHD 127.0059.654
<mark>Neptune</mark> NEX 251	0	600	1004 x 514	360 x 420 x 200 167 x 306 x 152	995 x 506 cr=20	•			S2	Silk	LHD 127.0059.717 RHD 127.0059.658

				Dimensions (mm	ı)	Inst	talla	tion			
Stainless St	teel Inset Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Flushmount	Plumbing Kit	Finish & Colour Options	FUN Number
<mark>Rondo</mark> RNX 610	6	500	Ø339	Ø339 x 150 depth	Ø324	•			S1	Brushed	113.0159.657
Rotondo RBX 610	0	500	Ø440	Ø395 x 170 depth	Ø425	•			S1	Brushed	101.0033.751
Rotondo RBX 604 DRAINER	\bigcirc	500	Ø440	Ø395 x 30 depth	Ø425	•			S 1	Polished	101.0050.182
Studio STX 621-E		900 x 900 corner	830 x 830	340 x 400 x 200 300 x 340 x 190	Utilise template	•			S 2	Silk	LHD 101.0001.045 RHD 101.0001.044
<mark>Spark</mark> SKX 611 86	•	450	860 x 500	340 x 420 x 160	840 x 480 cr=10	•			S1	Silk	REV 101.0489.946
<mark>Spark</mark> SKX 651	00	600	1000 x 500	340 x 420 x 155 170 x 280 x 80	980 x 480 cr=10	•			S2	Silk	REV 101.0489.947
<mark>Utility 50</mark> UTX 610		600	500 x 450	450 x 400 x 240	460 x 410 cr=50	•			S1	Brushed	113.0159.658

Fragranite Inset Sinks

0											
									Polar White	REV 114.0532.312	
	-								Coffee	REV 114.0532.230	
Antea AZG 611-78	۵	450	780 x 500	360 x 460 x 210	764 x 484 cr=20		S1		Oyster	REV 114.0633.739	
									Stone Grey	REV 114.0633.738	
									Onyx	REV 114.0532.311	
									Polar White	REV 114.0532.315	
									Coffee	REV 114.0532.313	
Antea AZG 651		600	970 x 500	430 x 340 x 210 155 x 310 x 115	950 x 480 cr=20		S2		Oyster	REV 114.0633.741	
									Stone Grey	REV 114.0633.740	
									Onyx	REV 114.0532.314	
									Polar White	REV 114.0532.317	
	and a second								Coffee	REV 114.0532.316	
Antea AZG 621		800	1160 x 500	430 x 340 x 210 430 x 340 x 210	1140 x 480 cr=20		S1		Oyster	REV 114.0633.764	
									Stone Grey	REV 114.0633.742	
								13-6	Onyx	REV 114.0532.318	
									Polar White	REV 114.0253.155	
									Coffee	REV 114.0253.150	
Basis BFG 611-780	•	450	780 x 500	340 x 420 x 200	760 x 480 cr=10		S1		Oyster	REV 114.0633.735	
510011700									Stone Grey	REV 114.0501.283	
									Onyx	REV 114.0253.153	
									Polar White	REV 114.0284.677	
									Coffee	REV 114.0284.678	
<mark>3asis</mark> 3FG 611-970		600	970 x 500	450 x 420 x 200	950 x 480 cr=10		S1		Oyster	REV 114.0633.736	
								1030	Stone Grey	REV 114.0484.967	
									Onyx	REV 114.0284.679	

Fragranite Inset Sinks	Size				1						
	Cabinet Size	Overall	David Size (c)	Cut Out Size	Inset	Undermount	Flushmount	Plumbing Kit	Finish & Colour Onting	FUN Number	
	0	Size	Bowl Size(s)	cr= Corner Radius	=	5	ш	₽.	Finish & Colour Options	FUN Number	
									Polar White	REV 114.0253.259	
			340 x 420 x 200						Coffee	REV 114.0253.257	
Basis BFG 651	600	970 x 500	150 x 290 x 100	950x 480 cr=10				S 1	Oyster	REV 114.0633.737	
									Stone Grey	REV 114.0484.968	
									Onyx	REV 114.0253.258	
									Polar White	REV 114.0629.652	
									Coffee	REV 114.0629.596	
Centro									Oyster	REV 114.0630.233	
CNG 611-78 XL	600	780 x 500	492 x 435 x 200	746 x 466 cr=15				S 1	Stone Grey	REV 114.0630.234	
									Onyx	REV 114.0630.227	
									Matt Black	REV 114.0635.762	
									Polar White		
										REV 114.0067.723	
									Coffee	REV 114.0067.724	
Maris ()	600	970 x 500	450 x 425 x 200	950 x 480 cr=20				S 1	Oyster	REV 114.0633.791	
MRG 611									Stone Grey	REV 114.0193.698	
									Onyx	REV 114.0157.987	
									Matt Black	REV 114.0630.355	
									Polar White	REV 114.0067.728	
									Coffee	REV 114.0067.731	
Maria	1		250 x 425 x 200						Oyster	REV 114.0633.793	
Maris MRG 651	600	970 x 500	350 x 425 x 200 160 x 302 x 130	950 x 480 cr=20				S2	Stone Grey	REV 114.0501.282	
									Onyx	REV 114.0157.988	
									Matt Black	REV 114.0630.356	
									Polar White Coffee	REV 114.0605.125 REV 114.0605.121	
									Oyster	REV 114.0633.765	
									Stone Grey	REV 114.0605.126	
Urban				824 x 464 cr=15 (inset)					Graphite	REV 114.0605.118	
UBG 611-86	500	860 x 500	390 x 425 x 220	864 x 504 cr=17				S 1	Onyx	REV 114.0605.124	
				(flushount)					Matt Black	REV 114.0630.393	
									Sage Grey	REV 114.0605.114	
									Orion Grey	REV 114.0605.113	
									Denim Grey	REV 114.0605.112	
									Polar White Coffee	REV 114.0573.803	
									Oyster	REV 114.0605.122 REV 114.0633.768	
									Stone Grey	REV 114.0573.802	
Urban				964 x 464 cr=15 (inset)					Graphite	REV 114.0605.119	
UBG 611-100	600	1000 x 500	490 x 425 x 220	1004 x 504 cr=17				S 1	Onyx	REV 114.0573.801	
				(flushount)					Matt Black	REV 114.0630.399	
									Sage Grey	REV 114.0605.111	
									Orion Grey	REV 114.0605.040	
									Denim Grey	REV 114.0605.039	
									Polar White	REV 114.0573.806	
									Coffee Oyster	REV 114.0605.123 REV 114.0633.771	
									Stone Grey	REV 114.0633.771 REV 114.0573.805	
Urban			390 x 425 x 220	964 x 464 cr=15 (inset)					Graphite	REV 114.0605.120	
UBG 651	600	1000 x 500	166 x 322 x 139	1004 x 504 cr=17				S2	Onyx	REV 114.0573.804	
				(flushmount)					Matt Black	REV 114.0630.396	
									Sage Grey	REV 114.0605.117	
									Orion Grey	REV 114.0605.116	
									Denim Grey	REV 114.0605.115	

			Dimensions (mm	ı)	Inst	talla	tion		
Ceramic Inset Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish & Colour Options FUN Number
Arcana AHK 611	600	1000 x 500	440 x 405 x 220 Ext. bowl depth: 220	970 X 480 cr=10	•			S1	Gloss White REV 124.0532.228
Arcana AHK 651	600	1000 x 510	310 x 410 x 200 Ext. bowl depth: 220 160 x 310 x 115 Ext. bowl depth: 137	970 x 480 cr=10	•			S2	Gloss White REV 124.0532.229
Elba ELK 611	500	920 x 510	395 x 380 x 185 Ext. bowl depth: 210	880 x 460 cr=20	•			S1	Gloss White REV 124.0307.010
Elba ELK 651	600	990 x 500	345 x 395 x 185 150 x 260 x 100 Ext. bowl depth: 210	970 x 470 cr=20	•			S2	Gloss White REV 124.0307.011
Galassia GAK 611	800	1010 x 510	460 x 405 x 200	970 x 480 cr=20	•			S1	Gloss White REV 124.0305.163
Galassia GAK 651	600	1010 x 510	350 x 410 135 x 257	975 x 495 cr=10	•			S2	Gloss White REV 124.0533.654

Tectonite Inset Sinks

								Polar White	REV 114.0381.756	
Orion OID 611-94		600	940 x 510	440 x 440 x 190	924 x 494 cr=7.5		S 1	Coffee	REV 114.0381.757	
	and the second se							Carbon Black	REV 114.0381.758	
								Polar White	REV 114.0381.759	
Orion OID 651	8 0	600	1000 x 510	340 x 440 x 190	984 x 494 cr=7.5		S2	Coffee	REV 114.0381.760	
				160 x 370 x 140				Carbon Black	REV 114.0381.791	



				Dimensions (mm)	Ins	talla	tion			
Stainless Steel Undermount Sir	nks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish & Colour Options	FUN Number
Ariane ARX 110 17		300	190 x 340	170 x 320 x 130	Utilise template		•		S 1	Silk	112.0154.911
<mark>Ariane</mark> ARX 110 17D	0	300	190 x 455	170 x 435 x 130	Utilise template		•		S1	Silk	112.0154.958
Ariane ARX 110 33	B	500	351 x 371	330 x 350 x 160	Utilise template		•		S 1	Silk	122.0154.919
<mark>Ariane</mark> ARX 110 35		500	371 x 456	350 x 435 x 175	Utilise template		•		S 1	Silk	122.0154.915
Ariane ARX 160		600	598 x 485	350 x 435 x 175 170 x 320 x 130	Utilise template		•		S1	Silk	LHSB 122.0154.926 RHSB 122.0154.935
Ariane ARX 160D		600	598 x 485	350 x 435 x 175 170 x 435 x 130	Utilise template		•		S2	Silk	LHSB 122.0154.950 RHSB 122.0154.946
Box BXX 110 16	0	300	200 x 450	160 x 410 x 140	Utilise template		•		S1	Brushed	127.0371.512
Box BXX 110 40	0	500	440 x 450	400 x 410 x 200	Utilise template		•		S1	Brushed	127.0369.215
Box BXX 110 50	0	600	540 x 450	500 x 410 x 200	Utilise template		•		S 1	Brushed	127.0369.282
<mark>Box</mark> BXX 110 54	0	800	580 x 450	540 x 410 x 200	Utilise template		•		S 1	Brushed	127.0371.513
Box BXX 110 68	0	800	725 x 450	685 x 410 x 200	Utilise template		•		S 1	Brushed	127.0369.284
Box BXX 160 34-16	00	600	560 x 450	340 x 410 x 200 160 x 410 x 140	Utilise template		•		S2	Brushed	LHSB 127.0369.916
Box Center BWX 120 41-27	0	900	820 x 520	410 x 480 x 204 270 x 480 x 204	Download cut out file		•		S2	Brushed	REV 122.0611.737
Box Center Compartment Bowl BWX 220 110-27	^O	400	300 x 510	270 x 480 x 204	Download cut out file	•	•		S1	Brushed	127.0611.738
Largo LAX 110 45	0	500	470 x 415	445 x 390 x 175	Utilise template		•		S1	Silk	122.0066.736
Largo LAX 110 50	Ð	600	524 x 374	500 x 350 x 180	Utilise template		•		S1	Silk	122.0181.453
Largo LAX 110 50-41	0	600	530 x 440	500 x 410 x 175	Utilise template		•		S1	Silk	122.0250.208

				Dimensions (mm	1)	Ins	talla	tion		
Stainless Stee Undermount S		Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish & Colour Options FUN Number
<mark>Largo</mark> LAX 120 36-36	0 0	900	795 x 440	360 x 390 x 175 360 x 390 x 175	Utilise template		•		S2	Silk 122.0156.181
Largo LAX 160 36-16	00	600	575 x 420	360 x 390 x 175 160 x 390 x 120	Utilise template		•		S2	Silk LHSB 122.0156.345 RHSB 122.0156.346
<mark>Largo</mark> LAX 120 45-30	00	900	820 x 440	445 x 390 x 175 300 x 340 x 160	Utilise template		•		S2	Silk RHSB 122.0156.343
<mark>Maris</mark> MRX 110-19		300	230 x 440	190 x 400 x 130	Utilise template		•		S1	Brushed 122.0553.879
<mark>Maris</mark> MRX 110-34	0	450	380 x 440	340 x 400 x 180	Utilise template		•		S1	Brushed 122.0531.850
<mark>Maris</mark> MRX 110-45	0	550	490 x 440	450 x 400 x 180	Utilise template		•		S1	Brushed 122.0553.943
<mark>Maris</mark> MRX 110-55	0	800	590 x 440	550 x 400 x 180	Utilise template		•		S1	Brushed 122.0553.947
<mark>Maris</mark> MRX 110-70	0	800	740 x 440	700 x 400 x 180	Utilise template		•		S1	Brushed 122.0531.911
<mark>Maris</mark> MRX 160 34-19	00	800	595 x 440	340 x 400 x 180 190 x 400 x 130	Utilise template		•		S2	Brushed LHSB 122.0553.949 RHSB 122.0570.242
<mark>Maris</mark> MRX 120 34-34	0 0	800	745 x 440	340 x 400 x 180	Utilise template		•		S2	Brushed 122.0531.853
<mark>Mythos</mark> MYX 110-16	0	300	200 x 440	160 x 400 x 200	Download cut out file		•		S1	Brushed 122.0606.889
<mark>Mythos</mark> MYX 110-34	0	450	380 x 440	340 x 400 x 200	Download cut out file		•		S1	Brushed 122.0606.948
<mark>Mythos</mark> MYX 110-45	0	550	490 x 440	450 x 400 x 200	Download cut out file		•		S1	Brushed 122.0606.949
<mark>Mythos</mark> MYX 110-55		600	590 x 440	550 x 400 x 200	Download cut out file		•		S1	Brushed 122.0606.969
<mark>Mythos</mark> MYX 110-70	0	800	740 x 440	700 x 400 x 200	Download cut out file		•		S1	Brushed 122.0607.061
<mark>Mythos</mark> MYX 160 34-16		600	555 x 430	340 x 400 x 200 160 x 400 x 150	Download cut out file		•		S2	Brushed LHSB 122.0607.062 RHSB 122.0607.063
<mark>Mythos</mark> MYX 160 50-16		800	725 x 440	500 x 400 x 200 160 x 400 x 150	Download cut out file		•		S2	Brushed LHSB 122.0606.920 RHSB 122.0607.083

			Dimensions (mm	ı)	Inst	allat	tion				
Stainless Steel Undermount Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish & Colour Options	FUN Number	
Mythos MYX 120 34-34	800	745 x 440	340 x 400 x 200 340 x 400 x 200	Download cut out file		•		S2	Brushed	122.0607.085	
Rotondo RUX 110	500	Ø440	Ø395 x 170	Utilise template		•		S1	Silk	127.0050.183	

Fragranite Undermount Sinks

0											
									Polar White	REV 135.0633.439	
									Coffee	REV 135.0633.436	
Fresno			0/0 450	500 405 405	000 400 75			~	Oyster	REV 135.0522.726	
FSG 111		900	860 x 458	500 x 425 x 195	832 x 430 cr=7.5			S1	Stone Grey	REV 135.0633.437	
									Onyx	REV 135.0522.725	
									Matt Black	REV 125.0633.431	
									Polar White	125.0046.871	
	6								Coffee	125.0153.575	
<mark>Kubus</mark> KBG 110 34		400	380 x 440	340 x 400 x 210	Utilise template			S1	Oyster	125.0312.757	
									Stone Grey	125.0435.830	
								ĺ	Onyx	125.0153.567	
									Polar White	125.0046.874	
									Coffee	125.0153.599	
<mark>Kubus</mark> KBG 110 50	0	600	540 x 440	500 x 400 x 210	Utilise template	•		S1	Oyster	125.0312.758	
									Stone Grey	125.0435.861	
									Onyx	125.0153.594	
									Polar White	125.0265.054	
									Coffee	125.0531.652	
<mark>Kubus</mark> KBG 110 70	۲	900	802 x 460	742 x 410 x 200	Utilise template			S1	Oyster	125.0531.653	
									Stone Grey	125.0531.654	
									Onyx	125.0265.053	
									Polar White	RHSB 125.0046.877	
	0 0								Coffee	RHSB 125.0153.630	
<mark>Kubus</mark> KBG 160	0 0	600	558 x 460	340 x 400 x 210	Utilise template		:	S2	Oyster	RHSB 125.0312.759	
									Stone Grey	RHSB 125.0435.862	
									Onyx	RHSB 125.0153.622	
									Polar White	125.0633.731	
									Coffee	125.0633.730	
ubus NG 110-37									Oyster	125.0633.732	
		450	410 x 460	370 x 420 x 200	Utilise template			S1	Stone Grey	125.0633.733	
									Onyx	125.0633.734	
	E								Matt Black	125.0630.441	
		1	1	1	1						

				Dimensions (mm	ı)	Inst	talla	tion					
Fragranite Und	dermount Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish	& Colour Options	FUN Number	
											Polar White	125.0633.725	
											Coffee	125.0633.726	
Kubus		600	560 x 460	520 x 420 x 200	Utilise template				S1		Oyster	125.0633.727	
KNG 110-52	-	000	500 x 400	320 x 420 x 200					5	-	Stone Grey	125.0633.728	
											Onyx	125.0633.729	
											Matt Black	125.0630.442	
											Polar White	125.0633.721	
	_										Coffee	125.0633.595	
Kubus	-	800	760 x 460	620 x 420 x 200	Utilise template				S1		Oyster	125.0633.722	
KNG 110-62	- L.	800	700 X 400	020 x 420 x 200	otilise template				31		Stone Grey	125.0633.723	
											Onyx	125.0633.724	
											Matt Black	125.0630.443	
											Polar White	RHSB 125.0633.285	
											Coffee	RHSB 125.0633.284	
Kubus		000	760 x 460	464 x 420 x 200							Oyster	RHSB 125.0633.286	
KNG 120	100 March 100 Ma	800	700 x 400	214 x 420 x 200	Utilise template				S2		Stone Grey	RHSB 125.0633.287	
											Onyx	RHSB 125.0633.288	
											Matt Black	RHSB 125.0630.444	

Ceramic Undermount Sinks

	A								White	126.0438.430	
<mark>Kubus</mark> KBK 110 40	0	500	445 x 445	405 x 385 x 175	Utilise template		s	1	Matt Pearl Grey	126.0532.319	
									Graphite	126.0532.320	
									White	126.0438.483	
<mark>(ubus</mark> (BK 110 50	0	600	545 x 445	505 x 385 x 185	Utilise template		s	1	Matt Pearl Grey	126.0532.321	
	and the second second								Graphite	126.0532.322	
	1.0								White	126.0438.484	
<mark>Kubus</mark> KBK 160	• •	600	545 x 445	375 x 385 x 185 115 x 385 x 115	Utilise template		s	2	Matt Pearl Grey	126.0532.324	
	81.800 L								Graphite	126.0532.323	
	1000										
<mark>V&B</mark> VBK 160	0 0	600	545 x 440	343 x 390 x 173 136 x 272 x 103	Utilise template		s	2	Gloss White	LHSB 126.0381.814	
	100										
<mark>V&B</mark> VBK 110 21	0	400	260 x 440	210 x 390 x 180	Utilise template		s	1	Gloss White	126.0381.816	
	1000										
<mark>V&B</mark> VBK 110 33	0	450	370 x 435	325 x 390 x 175	Utilise template		s	1	Gloss White	126.0381.820	
<mark>V&B</mark> VBK 110 50	0	600	550 x 440	500 x 390 x 200	Utilise template		s	1	Gloss White	126.0381.823	
				1	1	 					



				Dimensions (mm	ı)	Ins	talla	tion		
Ceramic Be	fast Sinks	Cabinet Size	Overall Size	Bowl Size(s)	Cut Out Size cr= Corner Radius	Inset	Undermount	Belfast	Plumbing Kit	Finish & Colour Options FUN Number
<mark>Belfast</mark> BAK 710		600	595 x 455	525 x 380 x 215 Ext. bowl depth: 250	N/A			•	S 1	Gloss White REV 130.0305.150
<mark>Belfast</mark> VBK 710	0	600	600 x 500	565 x 430 x 180 Ext. bowl depth: 200	N/A			•	S1	Gloss White 130.0381.800
<mark>Belfast</mark> VBK 720	0 0	800	800 x 500	370 x 465 x 200 370 x 465 x 200 Ext. bowl depth: 220	N/A			•	S2	Gloss White 130.0381.811



		Din	nensio	ons (m	ım)				F	eature	es			Valv	/e(s)	Р	ressure		
Tap Model	Tap Height	Spout Reach	Base Diameter	Tap Cut-out Diameter	Side Spray Base Diameter	Spray Cut-out Diameter	Perlator	Filtered Water	Instant Boiling Water	Pull-Out Spray	Pull-Out Nozzle	Directional Nozzle	Side-Spray (cold water only)	Ceramic Disc Valve(s)	Compression Valve(s)	Hot Flow Rate at 0.3 bar (litres/min)	Suitable for low pressure	Finish	FUN Number
			_				_		_	_						_		Chrome	115.0426.100
																		Brass	115.0524.926
Active Plus	310	236	50	35										•		2.4		Smoked Chrome	115.0524.924
																		Matt Black	115.0524.888
																		Chrome	115.0426.189
Active Plus																		Brass	115.0524.927
Pull-Out Spray	310	236	50	35			•			•				•		1.2		Smoked Chrome	115.0524.925
1																		Matt Black	115.0524.890
Anteleo	345	194	44	35			•							•		4.0	•	Chrome	115.0433.948
Arena Pull-Out										-								Chrome	115.0158.969
Spray	443	196	50	35												2.1		SilkSteel PVD	115.0158.970
Atlas Sensor	297	225	45	35			•							•		1.91		Stainless Steel	115.0638.826
Atlas Sensor Pull-Out Nozzle	297	225	45	35			•				•			•		1.75		Stainless Steel	115.0638.827
Atlas Neo	297	225	45	35			•							•		3.67		Stainless Steel	115.0547.856
Atlas Neo Pull-Out Nozzle	297	225	45	35			•				•			•		2.35		Stainless Steel	115.0638.841
\bigcap																		Chrome	115.0311.211
Athena	349	194	46	35												5	-	SilkSteel	115.0311.215
Bridge	355	192	50 x2	25 x2			•							•		6.15	•	Chrome	115.0049.960
\cap																		Chrome	115.0049.962
Bridge Lever	355	192	50 x2	25 x2										•		6.15	•	SilkSteel	115.0049.963
Cresta	268	218	48	35												2.8		Chrome	115.0250.642
4																		SilkSteel	115.0250.644
Cotswold	300	238	50	35												4.02		Chrome	115.0636.103
	000	200	30	55			•									7.02		SilkSteel	115.0636.104
Davos	257	224	5.F	2F			•									1 50		Chrome	115.0046.694
Davos	257	224	55	35										-		4.50	-	SilkSteel	115.0046.695
Davos 'J'	398	216	55	35												4.50	•	Chrome	115.0050.044
÷ĝ÷																		SilkSteel	115.0049.940

			Dir	nensio	ons (m	ım)				Fe	eature	es			Valv	e(s)	P	ressure		
Tap Model		Tap Height	Spout Reach	Base Diameter	Tap Cut-out Diameter	Side Spray Base Diameter	Spray Cut-out Diameter	Perlator	Filtered Water	Instant Boiling Water	Pull-Out Spray	Pull-Out Nozzle	Directional Nozzle	Side-Spray (cold water only)	Ceramic Disc Valve(s)	Compression Valve(s)	Hot Flow Rate at 0.3 bar (litres/min)	Suitable for low pressure	Finish	FUN Number
	\bigcirc																		Chrome	115.0049.989
Eiger	44	395	230	48	35			•							•		2.80		SilkSteel	115.0049.990
Eos Neo		387	229	45	35			•							•		3.27		Stainless Steel	115.0638.846
Eos Neo Pull-Down Spray		433	231	45	35			•			•				•		2.50		Stainless Steel	115.0638.861
Fuji	\bigcap	390	220	48	35										•		1.5		Chrome	115.0250.326
ruji	4	390	220	40	35												1.5		SilkSteel	115.0250.327
Fuji Pull-Out	\cap			40	0.5														Chrome	115.0280.225
Nozzle	μ.	390	230	48	35												2.80		SilkSteel	115.0280.227
	\cap																		Chrome	115.0637.111
Gloriana	44	366	194	58	35												4.15		SilkSteel	115.0637.112
	\bigcirc																		Chrome	115.0567.654
Hestia J-Spout	4	358	181	45	35										•		2.94		SilkSteel	115.0635.794
Hestia U-Spout		318	197	45	35			•							•		2.94		Chrome	115.0567.655
	1																		Chrome	115.0625.185
Icon Swivel Spout		341	287	50	35			•							•				Décor Steel	115.0625.186
																			Matt Black	115.0625.187
	1																		Chrome	115.0625.188
lcon Pull-Out Double Jet Showe	r	355	237	48	35						•				•				Décor Steel	115.0625.189
																			Matt Black	115.0625.190
																			Chrome	115.0567.598
	\bigcap																		SilkSteel	115.0567.599
Krios J-Spout	44	391	216	60	35			•							•		4.84		Brass	115.0567.600
																			Smoked Chrome	115.0567.611
																			Gunmetal	115.0567.612
																			Chrome	115.0567.615
	\square																		SilkSteel	115.0567.617
Krios L-Spout	ت ا	314	212	60	35			•							•		4.84		Brass	115.0567.618
																			Smoked Chrome	
	<u> </u>																		Gunmetal	115.0567.621
Maris Free Swivel		425	195	45	35			•							•		2.4		SilkSteel PVD	115.0543.294
	1																		Matt Black	115.0543.285
Maris Pull-Out		284	207	48	35			•				•			•		1.70		Chrome	115.0363.793
Spray																			SilkSteel	115.0363.795
Mythos MTX		365	185	46	35												4.38	•	Chrome	115.0049.965
	leffel																		SilkSteel	115.0049.966

			Dir	nensio	ons (m	ım)				Fe	eature	es			Valv	ve(s)	P	ressure		
Tap Model		Tap Height	Spout Reach	Base Diameter	Tap Cut-out Diameter	Side Spray Base Diameter	Spray Cut-out Diameter	Perlator	Filtered Water	Instant Boiling Water	Pull-Out Spray	Pull-Out Nozzle	Directional Nozzle	Side-Spray (cold water only)	Ceramic Disc Valve(s)	Compression Valve(s)	Hot Flow Rate at 0.3 bar (litres/min)	Suitable for low pressure	Finish	FUN Number
																			Chrome	115.0533.348
	C																		Smoked Chrome	115.0533.347
Neptune	1.11	343	220	50	35			•							•		3.0		Brass	115.0533.345
	T																		Gunmetal	115.0533.346
																			Matt Black	115.0533.344
Olympus Side-Spray	ſſ	390	220	60	35	50	30							•			2.10		Chrome	115.0051.538
Olympus	\cap	540	189	60	35												3.30		Chrome	115.0184.404
Spring	Laffert	340	107	00	00												0.00		SilkSteel	115.0311.190
																			Chrome	115.0605.458
	\bigcap																		SilkSteel	115.0605.459
Orlando	ulu	324	189	48	35			•							•		3.20		Brass	115.0605.462
	1																		Smoked Chrome	115.0605.461
																			Gunmetal	115.0605.460
Panto		403	180	54	35										•		2.6		Stainless Steel	115.0063.559
Pescara Semi-Pro XL		550	235	46	33			•			•				•		2.8		Chrome	115.0393.974
Pescara 360°		460	200	37	33			•			•				•		3.2		Chrome	115.0393.976
Pescara Swivel Up & Down		435	224	50	35						•				•		2.2		Chrome	115.0523.286
Pescara Pull Down XL		500	233	46	35			•			•				•		2.2		Chrome	115.0523.290
	\cap																		Chrome	115.0251.257
Rotaflow		335	190	45	35										•		4.70		SilkSteel	115.0251.258
Sirino		478	211	48	35			•			•				•		2.82		Chrome	115.0433.944
Smart	F	200	211	48	35										•		1.05		Chrome	115.0391.460
Textura J-Spout		397	215	48	35			•							•		2.86		Chrome	115.0605.465
Textura U-Spout	\int	337	211	48	35			•							•		2.86		Chrome	115.0605.466

		Dir	nensi	ons (m	ım)				Fe	eature	es			Valv	ve(s)	P	ressure		
Tap Model	Tap Height	Spout Reach	Base Diameter	Tap Cut-out Diameter	Side Spray Base Diameter	Spray Cut-out Diameter	Perlator	Filtered Water	Instant Boiling Water	Pull-Out Spray	Pull-Out Nozzle	Directional Nozzle	Side-Spray (cold water only)	Ceramic Disc Valve(s)	Compression Valve(s)	Hot Flow Rate at 0.3 bar (litres/min	Suitable for low pressure	Finish	FUN Number
Textura Semi-Pro	485	225	48	35			•							•		2.2		Chrome	115.0605.467
Valais	362	210	55	35			•							•		0.8		Stainless Steel	115.0364.026
Zelus	455 Spring 445 Hose	230		35							•			•		1.7		Chrome/ Spring SilkSteel/ Spring Chrome/ Fawn Hose Chrome/ Black Hose Chrome/ White Hose	115.0567.593 115.0567.594 115.0567.595 115.0567.596 115.0567.597
Zurich	275	210	45	35										•		5.1	•	Chrome SilkSteel	115.0051.172 115.0061.579

Filtered Water Taps

Franke FilterFlow	0	404	216	56	35						3.90	Chrome	120.0615.357
Doric	цµ	404	210	50	35						3.90	SilkSteel	120.0615.359
Franke FilterFlow	\cap	383	216	54	35						N/A	Chrome	120.0615.443
Olympus	La l	505	210	54	55						N/A	SilkSteel	120.0615.445
Franke FilterFlow Mini	C.	235	122	32	20		•			•	N/A	Chrome	120.0615.441
	\bigcirc											Chrome	120.0615.447
Tasso		367	240	54	35		•			•	3.70	SilkSteel	120.0615.449
	-9-											Matt Black	120.0615.451

Franke Vital Capsule


Vital Single	E C	311	100	50	22							N/A (hot)	Chrome/ Gunmetal	120.0551.216
Dispense	1	311	120	50	or 35		•					3.50 (filter)	Matt Black/ SilkSteel PVD	120.0551.220
Vital 3-in-1	0	477	228	50	35							2.55 (hot)	Chrome/ Gunmetal	120.0551.218
J-Spout Swivel	1-	4//	228	50	30							3.50 (filter)	Matt Black/ SilkSteel PVD	120.0551.241
Vital 3-in1	A	550	235	50	35		•					1.75 (hot)	Chrome/ Gunmetal	120.0551.219
Semi Pro	7.	550	235	50	30							3.50 (filter)	Matt Black/ SilkSteel PVD	120.0551.242
Vital Chiller													Stainless Steel	120.0578.223


			Dir	mensi	ons (n	וm)				F	eature	es			Valv	ve(s)	Pressure		
Boiling Wat	er Taps	Tap Height	Spout Reach	Base Diameter	Tap Cut-out Diameter	Side Spray Base Diameter	Spray Cut-out Diameter	Perlator	Filtered Water	Instant Boiling Water	Pull-Out Spray	Pull-Out Nozzle	Directional Nozzle	Side-Spray (cold water only)	Ceramic Disc Valve(s)	Compression Valve(s)	Min - Max Operaing Pressure	Finish	FUN Number
Omni 4-in-1 Original		385	215	42	35				•	•					•		1.5-5	Stainless Steel	119.0588.917
Omni 4-in-1 Contemporary	Ļ	345	255	50	35				•	•					•		1.5-5	Stainless Steel	119.0517.663
Minerva 4-in-1 Electronic	f	345	255	50	35				•	•					•		2-4	Chrome	119.0518.838
																		Stainless Steel	119.0532.227
Minerva 4-in-1 Mondial	ſ	220	200	54	35												2-4	Champagne Gold	119.0625.371
Electronic	#	330	200	54	35												2-4	Copper	119.0625.348
																		Industrial Black	119.0625.395
	0																	Stainless Steel	119.0625.396
Minerva 4-in-1 Helix	\cap	408	191	54	35				•	•					•		2-4	Champagne Gold	119.0625.397
Electronic	#																	Copper	119.0625.398
																		Industrial Black	119.0625.400
Minerva 3-in-1 Original	÷,	362.5	189	50	35					•					•		2-4	Chrome	119.0518.861
Minerva 3-in-1 Helix		407	191	54	35					•					•		2-4	Stainless Steel	119.0518.863
Minerva 3-in-1 Mondial		330	200	54	35					•					•		2-4	Stainless Steel	119.0518.864

Sorter Dimensions

Sorter 300-45 Duo









Sorter 300-60 Duo

Minimum cabinet size: 600mm 2 x 22L





121.0150.143

Kitchen Solution Dimensions




Soap Dispenser

Active Plus Chrome	119.0547.902
Active Plus SilkSteel	119.0547.904
Active Plus Brass	119.0547.910
Active Plus Smoked Chrome	119.0547.909
Active Plus Matt Black	119.0547.906
Atlas Neo Solid Stainless Steel	112.0625.483

Andy Chef Fits Box BXX range. Features a case, stainless steel strainer bowl, walnut chopping board and chef's knife.

Stainless Steel	112.0619.946	


Sorter 300-45 Trio




Sorter 300-60 Trio


Minimum cabinet size: 600mm 1 x 22L and 2 x 10L






121.0150.146








Active Plus Soap Dispenser Dimensions

Atlas Neo Soap Dispenser Dimensions




www.franke.ie

127

Waste Disposal Unit Dimensions


Waste Disposal Unit Turbo Elite TE-50

Continuous Feed	
134.0473.235	



Waste Disposal Unit Turbo Elite TE-125

Continuous Feed	
134.0473.237	




Waste Disposal Unit Turbo Elite Slimline TE-75S

Continuous Feed	
134.0483.704	

Waste Disposal Unit Turbo Elite TE-75


Continuous Feed





Waste Disposal Unit Turbo Elite TE-125B

Batch Feed	
134.0473.238	

NB. Ensure WDU dimensions can be accommodated within the specified cabinet width.











Colours shown are for reference only. All sinks available with left or right hand drainer. The description 'reversible' means that the design enables the same sink to be turned to drainer on the left or drainer on the right. In the case of a 'handed' sink it is necessary to specify which side the drainer is required, eg MRX 251 left hand drainer or MRX 251 right hand drainer. All bowls sizes and dimensions are described in mm.

Franke sinks are guaranteed against manufacturing defect for 50 years. Franke taps are guaranteed against defective materials and workmanship for 1 year in relation to coatings, 'O' rings and finishes (5 years for stainless steel taps and Frames by Franke taps), and 5 years in relation to valve mechanisms and working parts. Franke will replace (and where appropriate repair) defective sinks. In relation to taps, Franke will, where appropriate, provide replacement parts for your taps or replace your taps at their discretion. Any associated or ancillary costs to be incurred by you as a result of replacement of Franke sinks and taps under this guarantee shall in all cases be previously approved by Franke UK Limited. This guarantee is in addition to and does not affect your statutory rights. For full details see www.franke.ie/guarantee.

This literature has been produced on chlorine free materials harvested from sustainable forests. The Franke policy is one of continual improvement and Franke reserves the right to alter models and specifications without notice. E & OE. Front cover shows lcon Pull Out Double Jet Shower tap in Matt Black.

Make It Wonderful

Distributed in Ireland by: Kitchen Accessories Limited 4078 Kingswood Road **Citywest Business Campus** Dublin 24 Phone +353 (0)1 4136400

Email kalcsu@kal.ie www.franke.ie



MAKE IT WONDERFUL FRANKE

01.06.2021

