



CERTIFICATE OF CONSTANCY OF PERFORMANCE

0766-CPR-537

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Melamine faced chipboard

PANOPREY® / FIRE RETARDANT

Reaction to fire: B-s2,d0

consist of

melamine faced Chipboard EN 312 P2 Euroclass B-s2,d0; thickness 12 -30 mm

Mounting with mechanical fixation on D-s2,d0 wood structure or better, with or without vertical joints,
12 mm-thick panels: the mounting is without air gap or with closed air gap of any thickness,
13 mm or more-thick panels: the mounting is without air gap or with closed or open air gap of any thickness.

placed on the market under the name / trademark of

POLYREY SAS

700 route de Bergerac

24150 BANEUIL

and produced in the manufacturing plant

production site B

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on September 17th, 2020 and will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Dresden, September 17th, 2020

Date



Dr.-Ing. Rico Emmmler
Notified Certification Body