



## CERTIFICATE OF CONSTANCY OF PERFORMANCE

**0766-CPR-541/1**

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### **HPL composite panels**

**HPL composite panels/sidings for interior wall and ceiling finishes (including suspended ceilings)**

**Polyprey Ignifugé/FR®**

**Reaction to fire: B-s2,d0**

**Polyprey Signature Ignifugé/FR**

**Reaction to fire: C-s2,d0**

consist of

Chipboard Euroclass P2 B-s2,d0; thickness  $\geq 12$  mm, Density 700 (+/-50) kg/m<sup>3</sup>; laminated with  
POLYREY HPL Ignifugé (Fire retardant) or POLYREY Signature HPL Ignifugé,  
thickness  $\geq 0,8$  mm, Density 1350 (+/-50) kg/m<sup>3</sup>.

Mounting with mechanical fixation on squared timber or metal profiles structure, without insulation,  
with or without air gap ( $\leq 30$  mm), with or without vertical joints.

placed on the market under the name / trademark of

**POLYREY SAS**

**700 route de Bergerac**

**24150 BANEUIL**

and produced in the manufacturing plant

**production site A**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 438-7:2005**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

### **constancy of performance of the construction product.**

This certificate was first issued on September 17th, 2020 and will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Dresden, November 10<sup>th</sup>, 2022

Date



Dr.-Ing. Rico Emmler  
Notified Certification Body