



CERTIFICATE OF CONSTANCY OF PERFORMANCE

0766-CPR-542

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

HPL composite panels

HPL composite panels/sidings for interior wall and ceiling finishes (including suspended ceilings)

Polyprey Touch Ignifugé/FR® (HGF/VGF)
Reaction to fire: C-s2,d2

consist of

Chipboard Euroclass P2 B-s1,d0; thickness ≥ 10 mm;
laminated with POLYREY HPL Touch Ignifuge/Fire retardant; thickness $\geq 0,8$ mm.

Mounting with mechanical fixation on squared timber or metal profiles structure, with or without
insulation of mineral wool A2, with or without air gap (≤ 30 mm), with or without vertical joints.

placed on the market under the name / trademark of

POLYREY SAS
700 route de Bergerac
24150 BANEUIL

and produced in the manufacturing plant

production site A
production site C

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 438-7:2005

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on September 17th, 2020 and will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Dresden, September 17th, 2020

Date



Dr.-Ing. Rico Emmler
Notified Certification Body